



प्रमाणिकरण गर्नेको:-

दस्तखत: *S. K. Sharma* थापा

नाम: सन्तोष कुमार थापा

पद: अध्यक्ष, माथागढी गाउँपालिका

पाना संख्या: ५१

मिति : २०७८/०३/१६

माथागढी गाउँपालिकाको आ.व. ०७८/०७९ को दररेट



गाउँसभामा पेश भएको मिति: २०७८/०३/०९ गते
गाउँसभाबाट पारित भएको मिति: २०७८/०३/०९

क.सं.	ज्यामी/दुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
क.	ज्याला दर रेट			
१	ज्यामी साधारण(अदक्ष)	व्यक्ति/दिन	६८०	
२	कुल्ली नाइके(मेठ)	व्यक्ति/दिन	६८५	
३	सिकर्मी, डकर्मी, नकर्मी, वज्रकर्मी, चित्रकारी, प्लम्बर, आराक सी	व्यक्ति/दिन	९००	
४	चौकिदार	व्यक्ति/दिन	६८०	
५	सर्भ हेल्पर(अर्द्धदक्ष)/ल्याव ब्वाय	व्यक्ति/दिन	७६७	
६	ड्रिलर	व्यक्ति/दिन	७२९	
७	बिषादी औषधीको काम गर्ने ज्यामी	व्यक्ति/दिन	७२९	
८	नर्सरी नाइके/वन हेरालु	व्यक्ति/महिना	१५०००	
९	इन्जिनियर	व्यक्ति/दिन	१२६५	
१०	सव-इन्जिनियर	व्यक्ति/दिन	१००५	
११	असिस्टेन्ट सव-इन्जिनियर	व्यक्ति/दिन	९५०	
१२	सुपरभाइजर सामान्य (एस.एल.सी.उत्तीर्ण)	व्यक्ति/दिन	९५०	
१४	नापि कामदार (दक्ष)	व्यक्ति/दिन	७६५	
१५	ब्लाष्टर	व्यक्ति/दिन	९४०	
१६	डोजर अपरेटर	व्यक्ति/दिन	१०९०	
१७	डोजर हेल्पर	व्यक्ति/दिन	७३५	
१८	स्टाफ मेन	व्यक्ति/दिन	७३५	
१९	रेन्जिङ्ग मेन	व्यक्ति/दिन	७३५	
२०	इलेक्ट्रिसियन(हाउस वायरिङ्ग गर्ने)	व्यक्ति/दिन	९४५	
२१	हाइटेन्सन/लोटेन्सन/ओभरहेडमा काम गर्ने दक्ष मिस्त्री	व्यक्ति/दिन	९४५	
२२	मेतर	व्यक्ति/दिन	७५०	
२३	भरिया	व्यक्ति/दिन	७५०	
२४	दुरी संभार कर्ता	व्यक्ति/दिन	७३५	
२५	विद्युत दक्ष	व्यक्ति/दिन	९४५	
२६	विद्युत अर्द्धदक्ष	व्यक्ति/दिन	७५०	
२७	सिनियर मेकानिक्स	व्यक्ति/दिन	९४५	
२८	हलुका सवारी चालक	व्यक्ति/दिन	८१५	
२९	भारी सवारी चालक	व्यक्ति/दिन	८८५	
३०	क्याम्प वर्कर	व्यक्ति/दिन	७२५	
३१	स्याम्पलर/टनेल	व्यक्ति/दिन	७२५	
३२	माइनिङ्ग सर्भ हेल्पर	व्यक्ति/दिन	७२५	
३३	सर्भेक्षक	व्यक्ति/दिन	१००५	
३४	अमिन	व्यक्ति/दिन	९५०	

Mathagadhi Rate (Labour) Palpa -2078-079
 Mathagadhi Municipality
 Palpa

क.सं.	ज्यामी/हुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
ख.	हुवानी दर रेट			
१	ट्रकबाट पिच बाटोमा हुवानी(सजिलो सामान)	क्वी./कि.मी.	२.४	
२	ट्रकबाट पिच बाटोमा हुवानी(असजिलो सामान)	क्वी./कि.मी.	३.१	
३	ट्रकबाट कच्ची बाटोमा हुवानी(सजिलो सामान)	क्वी./कि.मी.	३.४	
४	ट्रकबाट कच्ची बाटोमा हुवानी(असजिलो सामान)	क्वी./कि.मी.	४.१	
५	ट्रेक्टरबाट पिच बाटोमा हुवानी(सजिलो सामान)	क्वी./कि.मी.	२.७	
६	ट्रेक्टरबाट पिच बाटोमा हुवानी(असजिलो सामान)	क्वी./कि.मी.	४.१	
७	ट्रेक्टरबाट कच्ची बाटोमा हुवानी(सजिलो सामान)	क्वी./कि.मी.	३.७	
८	ट्रेक्टरबाट कच्ची बाटोमा हुवानी(असजिलो सामान)	क्वी./कि.मी.	४.५	
९	ट्रेक्टरबाट पिच बाटोमा हुवानी(जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली)	क्वी./कि.मी.	१६.५	
१०	ट्रेक्टरबाट कच्ची बाटोमा हुवानी(जि आइ तथा एच डि पी पाइप तथा ग्याविन जाली)	क्वी./कि.मी.	२३.४	
११	ट्रेक्टरबाट पिच बाटोमा हुवानी(एच डि पी पाइप ६३ एम एम भन्दा मुनि)	क्वी./कि.मी.	१८.२	
१२	ट्रेक्टरबाट कच्ची बाटोमा हुवानी(एच डि पी पाइप ६३ एम एम भन्दा मुनि)	क्वी./कि.मी.	२५.४	
१३	पैदल सजिलो सामान हुवानी	के.जी./कोष	३.७	
१४	पैदल असजिलो सामान हुवानी	के.जी./कोष	४.७	
१५	ह्युम पाइप हुवानी			
	० देखि ५० कि. मी. दुरी सम्मको		१५ प्रतिशत खरिद मुल्यको	
	५० देखि १०० कि. मी. दुरी सम्मको		२० प्रतिशत खरिद मुल्यको	
	१०० देखि २०० कि. मी. दुरी सम्मको		२५ प्रतिशत खरिद मुल्यको	
	२०० देखि ३०० कि. मी. दुरी सम्मको		३० प्रतिशत खरिद मुल्यको	
१६	बिटुमिन १६५ के.जी. ट्रकमा लोड	प्रति ड्रम	६१.०	
१७	बिटुमिन १६५ के.जी. ट्रकमा अनलोड	प्रति ड्रम	३८.०	
१८	सिमेन्टको बोरा लोड/अनलोड	बोरा	७.०	
१९	पोल हुवानी			
१९.१	८-९ मिटर लामो काठ वा स्टिलको पोल हुवानी	गोटा/कि.मी.	१५.०	
१९.२	८-९ मिटर लामो पि.एस.सि (आर.सि.सि) पोल हुवानी	गोटा/कि.मी.	१६.०	
१९.३	१०-११ मिटर लामो स्टिलको पोल हुवानी	गोटा/कि.मी.	१७.०	
१९.४	कंक्रीट मिक्सर (लिफ्ट भएको)	प्रति घण्टा	८००.०	
१९.५	कंक्रीट मिक्सर (लिफ्ट नभएको)	प्रति घण्टा	७००.०	
१९.४	ट्रान्सफरमर हुवानी	गोटा/कि.मी.	५००	
१९.४.१	११ के.भि. ट्रान्सफरमर लोड	गोटा	२१००	
१९.४.२	११ के.भि. ट्रान्सफरमर अनलोड	गोटा	२१००	

सन् २०७९
२०७९/८०
समाजिक न्याय
अर्थशास्त्र
साथगढी गाउँपालिका
भरतपुर, पाल्पा

क.सं.	ज्यामी/दुवानी दर रेटको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
१९.४.३	३३ के.भि. ट्रान्सफरमर लोड	गोटा	३०००	
१९.४.४	३३ के.भि. ट्रान्सफरमर अनलोड	गोटा	३०००	
१९.५	पि.एस.सि. (आर.सि.सि.)			
१९.५.१	पि.एस.सि. पोल लोड	गोटा	२३०	
१९.५.२	पि.एस.सि. पोल अनलोड	गोटा	२३०	
१९.६	स्टील ट्यूबलर पोल			
१९.६.१	स्टील ट्यूबलर पोल लोड	गोटा	८९	
१९.६.२	स्टील ट्यूबलर पोल अनलोड	गोटा	८९	
१९.७	ए.सि.एस.आर. तार			
१९.७.१	ए.सि.एस.आर. तार लोड	/कि.मी.	४००	
१९.७.२	ए.सि.एस.आर. तार अनलोड	/कि.मी.	३५०	

S. Chakraborty
 सन्तोष चक्रवर्ती
 अध्यक्ष
 माथगाढी गाउँपालिका
 भडुवा, पाल्पा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	कैफियत
१	सिमेन्ट		
१.१	नेपाली सिमेन्ट, ५० के.जी. ओ.पि.सी	बोरा	६१८
१.२	नेपाली सिमेन्ट ५० के.जी. पि.पि.सी	बोरा	५३५
१.३	सेतो सिमेन्ट	के.जी.	५०
१.४	सिलिका सिमेन्ट admixture	के.जी.	३५०
२	बालुवा		
२.१	बालुवा (धोएको) crusher	घ.मी.	३४००
२.२	बालुवा (स्थानीय)	घ.मी.	१७००
२.३	बालुवा (रामपुर क्षेत्र भित्र)	घ.मी.	१३००
	ग्रावल (स्थानीय)	घ.मी.	११००
३	गिट्टी		
३.१	<२० एम.एम. साइजको (फोरुवा/कसरको)	घ.मी.	३४००
३.२	२०-४० एम.एम. साइजका (फोरुवा/कसरको)	घ.मी.	३३००
३.३	गिट्टी ४० एम.एम. साइज सम्मको (स्थानीय) खोलाको	घ.मी.	१७००
३.४	स्टोन डस्ट	घ.मी.	२३५०
३.५	सब बेस ६३ एम.एम. डाउन	घ.मी.	२०००
४	फलामे छड तथा तार फलामे छड (टी.एम.टी र टोर स्टिल)		
४.१	४-८ एम.एम. साइज	के.जी.	८६
४.२	१०-२५ एम.एम. साइज	के.जी.	८५
४.३	२५ एम.एम. साइज भन्दा माथि	के.जी.	८५
४.४	वाइण्डिङ तार	के.जी.	९५
४.५	W Beam क्रायास बेरियर ३ मि.मि.	र.मी.	४८००
४.६	H.T. Strand (Prestressing multistrand cables, each comprising 19 mono-strand of 12.7 mm dia. 7-ply low relaxation, Class-II, HTS tendons)	मे.टन	१३२०००
४.७	Corrugated HDPE sheathing duct	र.मी.	३०५
४.८	Tube anchorage set complete with bearing plate, permanent wedge etc.	गोटा	५४००
५	काठ		
५.१	साल काठ चिरान समेतको	घ.मी.	१७००००
५.२	सिसौ काठ चिरान समेतको	घ.मी.	९५०००

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.बा.थापा नं. गाउँपालिका को स्विकृत दर रेट	कैफियत
५.३	अन्य कु काठ चिरान समेतको	घ.मी.	४२०००	
६	ईटा चिम्नी भट्टाको			
६.१	प्रथम श्रेणी	हजार	१५७५०	
६.२	चाइनिज मेसिनमेड	हजार	१५७५०	
६.३	टुका ईटा	घ.मी.	५२००	
६.४	सुर्खी	घ.मी.	३२५०	
६.५	स्थानीय लोकल ईटा चिम्नीमा पकाएको (रामपुर क्षेत्र)	हजार	१३५००	
६.६	स्थानीय लोकल ईटा (रामपुर क्षेत्र)	हजार	९५००	
७	ढुंगा			
७.१	फोरुवा(ब्लक स्टोन साइज)	घ.मी.	२४५०	
७.२	बण्ड स्टोन	घ.मी.	२५००	
८	माटो (गारोको जोडाइमा प्रयोग हुने)	घ.मी.	३००	
९	कर्कट पाता (नेपाल स्टेण्डर्ड) सादा			
९.१	२४ गेज हेभि (०.५२ एम.एम.)	बण्डल	११६७२	
९.२	२४ गेज मिडियम (०.५० एम.एम.)	बण्डल	११२८८	
९.३	२४ गेज लाइट (०.४५ एम.एम.)	बण्डल	९८१०	
९.४	२६ गेज हेभि (०.४१ एम.एम.)	बण्डल	९४३२	
९.५	२६ गेज मिडियम (०.३८ एम.एम.)	बण्डल	८६७५	
९.६	२६ गेज लाइट (०.३५ एम.एम.)	बण्डल	८२८४	
९.७	२८ गेज हेभि (०.३१ एम.एम.)	बण्डल	७४८४	
९.८	२८ गेज मिडियम (०.२८ एम.एम.)	बण्डल	६८७४	
९.९	२८ गेज लाइट (०.२६ एम.एम.)	बण्डल	६४५९	
	कर्कट पाता (नेपाल स्टेण्डर्ड) रगीन			
९.१०	२४ गेज हेभि (०.५२ एम.एम.)	बण्डल	१३९७४	
९.११	२४ गेज मिडियम (०.५० एम.एम.)	बण्डल	१३५२९	
९.१२	२४ गेज लाइट (०.४५ एम.एम.)	बण्डल	१२४२४	
९.१३	२६ गेज हेभि (०.४१ एम.एम.)	बण्डल	११३१९	
९.१४	२६ गेज मिडियम (०.३८ एम.एम.)	बण्डल	१०७८१	
९.१५	२६ गेज लाइट (०.३५ एम.एम.)	बण्डल	१०२८१	
९.१६	२८ गेज हेभि (०.३१ एम.एम.)	बण्डल	९३२८	
९.१७	२८ गेज मिडियम (०.२८ एम.एम.)	बण्डल	८७००	
९.१८	२८ गेज लाइट (०.२६ एम.एम.)	बण्डल	८२४२	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई		
१०	प्लेन सीट (नेपाल स्टेण्डर्ड)			
१०.१	२४ गेजको(सादा)(३' x ८' साइजको)	गोटा	१३१०	
१०.२	२६ गेजको(सादा)(३' x ८' साइजको)	गोटा	१२०९	
१०.३	२८ गेजको(रंगीन)(३' x ८' साइजको)	गोटा	८४६	
११	शिशा तथा ऐना			
११.१	३ एम.एम.	व.मी	६३०	
११.२	४ एम.एम.	व.मी	७३५	
११.३	५ एम.एम.	व.मी	९४५	
१२	प्लाईउड कमर्सियल/सनमाइका			
१२.१	३ एम.एम. प्लाईउड कमर्सियल	व.मी	२०५	
१२.२	४ एम.एम. प्लाईउड कमर्सियल	व.मी	२६०	
१२.३	६ एम.एम. प्लाईउड कमर्सियल	व.मी	३६८	
१२.४	१० एम.एम. प्लाईउड कमर्सियल	व.मी	७६०	
१२.५	१२ एम.एम. प्लाईउड कमर्सियल	व.मी	८१०	
१२.६	टिक प्लाई	व.मी	३६०	
१२.७	सनमाइका	व.मी	२००	
१२.८	फोरमाइका	व.मी	३४०	
१२.९	Readymade Door			
	Plain 25 mm	व.मी	१८००	
	Plain 32 mm	व.मी	२०००	
	Teak 25mm	व.मी	१९००	
	Teak 32mm	व.मी	२३००	
	Flush Design 25mm	व.मी	३५००	
	Flush Design 32mm	व.मी	४०००	
१३	जाली (वायरमेस)			
१३.१	लामखुट्टे जाली (अलुमिनियम)	व.मी	२३०	
	लामखुट्टे जाली (स्टील)	व.मी	३५०	
१३.२	कुखुरे जाली	के.जी.	१९०	
१३.३	बालुवा चाले जाली	व.मी	१९२	
१३.४	गिट्टी चाले जाली	व.मी	१९५	
१३.५	जाली (एक्सपेण्डेड मेटल)	व.मी	२२५	
१४	नट बोल्ट, हुक, बासर, किला			

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	माथ्यागढी गाउँपालिका पाल्पा कैफियत
१४.१	८-१२ एम.एम.नट बोल्ट	के.जी.	२००	
१४.२	८ एम.एम.साइजको जे वा एल हुक	के.जी.	१६०	
१४.३	विटुमिन बासर	गोटा	१	
१४.४	पैसे बासर	के.जी.	१३०	
१४.५	कर्कटपाता ठोक्ने काटी	के.जी.	१४०	
१४.६	विभिन्न साइजको फलामे कीला	के.जी.	११०	
१५	डोर स्प्रीड, क्लोजर, कब्जा, छेस्कीनी, हेण्डल			
१५.१	डोर स्प्रीड साधारण	गोटा	१५०	
१५.२	क्लोजर	गोटा	२२१	
	क्लोजर (hydraulic)	गोटा	८१४	
१५.३	३" कब्जा	गोटा	१७	
१५.४	४" कब्जा	गोटा	२५	
१५.५	५" कब्जा	गोटा	४०	
१५.६	४" छेस्कीनी	गोटा	३०	
१५.७	६" छेस्कीनी	गोटा	१७	
१५.८	१२" छेस्कीनी	गोटा	१७	
१५.९	४" छेस्कीनी (स्टिल)	गोटा	१३०	
१५.१०	६" छेस्कीनी (स्टिल)	गोटा	१६५	
१५.११	१२" छेस्कीनी (स्टिल)	गोटा	२२०	
१५.१२	६" फलामे हेण्डल (साधारण)	गोटा	३२	
१५.१३	६" फलामे हेण्डल (स्पेशल)	गोटा	८०	
१५.१४	६" आलुमिनियम हेण्डल (साधारण)	गोटा	४०	
१५.१५	६" आलुमिनियम हेण्डल (डेकोरेटेड स्पेशल)	गोटा	७०	
१५.१६	६" पित्तल हेण्डल (साधारण)	गोटा	१५०	
१५.१७	६" पित्तल हेण्डल (डेकोरेटेड स्पेशल)	गोटा	४१५	
१५.१८	१२" लामो लकीड सेट (एलड्रप)	गोटा	२१०	
१५.१९	१२" लामो लकीड सेट (मर्टिस)	गोटा	६६०	
१५.२०	१" पेचकिला(स्कू), १ प्याकेटमा १०० गोटा	प्याकेट	१००	
१५.२१	१.२५"- २" पेचकिला(स्कू), १ प्याकेटमा ५० गोटा	प्याकेट	१००	
१६	काठको लिस्टी			
१६.१	०.५"- १" कुकाठ काठको	र.मी.	२०	
१६.२	१"- १.५" कुकाठ काठको	र.मी.	२४	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	संज्ञा आ.व. को स्वकृता दर	कैफियत
१७	खाक्सी	मी.	७५	
१८	तारब्रस	गोटा	५४	
१९	पुटीड			
१९.१	छानाको प्वाल टाल्ने	के.जी.	१३०	
	छानाको प्वाल टाल्ने(टेप)	र.मी.	१०६	
१९.२	विटुमिन फ्ल्यास टेप (२ इन्च चौडाई भएको)	र.मी.	९२	
१९.३	ग्लासफिक्स गर्ने (सिलिकोन) (450gm)	टयुब	२७८	
२०	वाटर प्रुफिड एजेन्ट			
२०.१	वाटर प्रुफिड कम्पाउण्ड	के.जी.	१२०	
२०.२	सेफ क्रीट	लि.	२००	
२०.३	Concrete Admixture Plasticizer	लिट्र	११०	
२१	फलामको (ग्रील,ट्रस,सटर,एङ्गल,स्क्वायर पाइप)			
२१.१	एम.एस.ग्रील (भ्याल-ढोकामा लगाउने समेत)	के.जी.	१२६	
२१.२	कोल्याप्सेबल गेट (च्यानल) फिटिङ्ग सहित	के.जी.	१३८	
२१.३	फलामे गेट फिटिङ्ग सहित	के.जी.	१३६	
२१.४	फलामे ट्रस फिटिङ्ग सहित	के.जी.	१३७	
२१.५	रोलिड सटर फिटिङ्ग सहित	के.जी.	१३८	
२१.६	होल्ड फास्ट	के.जी.	८८	
२१.७	फलामे एङ्गल	के.जी.	८६	
२१.८	एम.एस.सीट(ब्लयाक)	के.जी.	८०	
२१.९	Alluminium Sheet with Retroreflective sheeting including lamination & lettering	ब.मी.	८०००	
२२	गेवियन तार			
२२.१	हेभी कोटेड	के.जी.	१००	
२२.२	मेडियम कोटेड	के.जी.	९६	
२२.३	कमर्सियल	के.जी.	९१	
२२.४क	Machine made and mechanically selvaged double twist hexagonal mesh products (MBG/10*12/3.0/3.9/2.4/ZN)			
	Box size- 1.5*1*1/0	गोटा	१४५०	
	2*1*1/1	गोटा	२४५०	
	3*1*1/2	गोटा	३६००	
	2*1*.5/1	गोटा	२४००	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व.म.प.स. गाउँपालिका को स्वीकृत दर रेट	कैफियत
२२.४ख	Machine made and mechanically selvedged double twist hexagonal mesh products (MBG/10*12/2.7/3.4/2.2/ZN)			
	Box size- 1.5*1*1/0	गोटा	१२००	
	2*1*1/1	गोटा	२३५०	
	3*1*1/2	गोटा	३३००	
	2*1*.5/1	गोटा	१६५०	
२२.५	Wire mesh nettings	व.मी	२७०	
२३	कांटे तार (बारवेड वायर)			
२३.१	१२-१४ गेजसम्म	के.जी.	१००	
२३.२	यु हुक	के.जी.	१५०	
२४	पेन्टीङ सामाग्री:			
२४.१	ह्वाइट वास गर्ने चुना	के.जी.	१९	
२४.२	आयल वाउण्ड डिस्टेम्पर	के.जी.	१७६	
२४.३	स्नो सेम	के.जी.	५५	
२४.४	चप्रा	के.जी.	१३५०	
२४.५	प्राइमर (फलाम)	लि.	३१०	
२४.६	प्राइमर (काठ)	लि.	३३०	
२४.७	प्राइमर (भित्ती)	लि.	३१०	
२४.८	प्राइमर (बीहरी)	लि.	४१५	
२४.९	ईनामेल पेन्ट	लि.	५००	
२४.१०	इमल्सन इन्टेरियल	लि.	४२२	
२४.११	इमल्सन एक्स्टेरियर (water proof paint)	लि.	६००	
२४.१२	गुंद/फेविकोल	के.जी.	१४०	
२४.१३	आल्मुनियम पेन्ट	लि.	५२५	
२४.१४	डि.वी. लिन्सिड आयल	लि.	१०५	
२४.१५	वार्नेस	लि.	१८०	
२४.१६	स्पीट	लि.	१३१	
२४.१७	टरपेन्टाइन आयल	लि.	१४०	
२४.१८	रेड अक्साइड	लि.	३००	

माधवगर्भालिका
भंडेवा, पारणा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	अध्यक्ष गाउँपालिका कैफियत
२५.२१	युरिनल सेट जेन्स ९"	गोटा	१३२१	
२५.२२	युरिनल सेट लेडिज ९"	गोटा	१२४८	
२५.२३	१३ लिटर क्षमताको हाईलेभल फ्लसिड सिस्टर्न (प्लास्टीक)	गोटा	२०८७	
२५.२४	१३ लिटर क्षमताको लोलेभल फ्लसिड सिस्टर्न(पोरसिलिन)	गोटा	४७७०	
२५.२५	१३ लिटर क्षमताको हेभी टाइप फ्लसिड सिस्टर्न	गोटा	२६४३	
२५.२६	४" डायमिटर सावर रोज रिभोलविड टाइप	गोटा	९७४	
२५.२७	३" डायमिटर ग्रिटिड	गोटा	१२०	
२५.२८	६" x ३" टम्बलर एण्ड टयुब्स होल्डर	गोटा	३०४	
२५.२९	४" डायमिटर एच.डि.पी.काउल	गोटा	९७	
२५.३०	पानी टंकी एच.डि.पी.सिन्टेक्स वा सो सरह	लिटर	८	
२५.३१	स्टील वाटर टैकी स्टेण्ड सहित २००० लि.	गोटा	३००८८	
२५.३२	स्टील वाटर टैकी स्टेण्ड सहित १००० लि.	गोटा	१९०२७	
२५.३३	सोलार वाटर हिटर २०० लि. टैक १६ टयुब भएको	गोटा	३६८१४	
२६.३१	सोलार वाटर हिटर २५० लि. टैक २० टयुब भएको	गोटा	४६०१८	
२६.३२	सोलार वाटर हिटर ३०० लि. टैक २४ टयुब भएको	गोटा	५४८६७	
२६.३३	सोलार वाटर हिटर ३७५ लि. टैक ३० टयुब भएको	गोटा	६९०२७	
२७.३१	2000 V.A Pure Shine Wave UPS	सेट	३०५३१	
२७.३२	900 V.A Pure Shine Wave UPS	सेट	९७३५	
२७.३३	Tubular Battery 150AH	गोटा	२३४५१	
२६	खानेपानी सम्बन्धी:			
२६.१	पि.भी.सी पाइप ४ Kg/cm ² :			
	१.५"(४५ मी.मी.) ब्यास	र.मी.	१९५	
	२"(६३ मी.मी.) ब्यास	र.मी.	१९५	
	२.५"(७५ मी.मी.) ब्यास	र.मी.	१९५	
	३"(९० मी.मी.) ब्यास	र.मी.	१९५	
	४"(११० मी.मी.) ब्यास	र.मी.	१९५	
	४.५"(१२५ मी.मी.) ब्यास	र.मी.	१९५	
	५"(१४० मी.मी.) ब्यास		१९५	
	६"(१६० मी.मी.) ब्यास	र.मी.	१९५	
२७	खानेपानी तथा स्यानिटरी विविध सामाग्रीहरु:			
२७.१	धारा: Galvanized With Steel			
	१/२" ब्रासधारा ३५० ग्राम			

सत्यनारायण कुमार थापा
अध्यक्ष
गाउँपालिका
कैफियत

Mathagadhi Rate (Materials) Palpa 078/79

सन् २०७८/७९
जुन १९
माउँपालिका
पाँचथर

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	माउँपालिका पाँचथर
	Angle Cock	गोटा	५००	
	Bib Cock	गोटा	५००	
	Long Body	गोटा	६००	
	Piller Cock	गोटा	६००	
	Mixture	गोटा	१२००	
	१/२" ब्रासधारा ४५० ग्राम			
	Angle Cock	गोटा	६००	
	Bib Cock	गोटा	६००	
	Long Body	गोटा	७००	
	Piller Cock	गोटा	७००	
	Mixture	गोटा	१३००	
	१/२" ब्रासधारा ग्राम ५५०			
	Angle Cock	गोटा	६२५	
	Bib Cock	गोटा	६२५	
	Long Body	गोटा	७२५	
	Piller Cock	गोटा	७२५	
	Mixture	गोटा	१३२५	
२८	टायल तथा मार्बल			
२८.१	वाल ग्लेज टायल	व.मी	६७०	
२८.२	ग्लेज फ्लोर टायल	व.मी	७५०	
२८.३	मार्बल	व.मी	१५४५	
२८.४	अक्जालीक एसिड (एच सि.एल लीक्वड)	लिटर	८२	
२८.५	मैन पोलिस	के.जी.	३०९	
२८.६	कावोरेण्डम ढुंगा विभिन्न नम्बरको	गोटा	१३६	
२८.७	मार्बल चिप्स	के.जी.	१४	
२८.८	४" x २.५" पि.भि.सी.गल्ली ट्रैप	गोटा	३९१	
२८.९	छापने ढुङ्गा (Flag Stone)			
	१" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	ब.फि.	८७	
	१.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	ब.फि.	१००	
	२" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	ब.फि.	११७	
	२.५" सम्म बाक्लो सर्फेस ड्रेस गरेको छापने ढुङ्गा	ब.फि.	१२७	

सन् २०७८/७९
जुन १९
माउँपालिका
पाँचथर

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. माथ्यागढी गाउँपालिका को स्विकृत दर रेट	कैफियत
	२.५"-३" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा	ब.फि.	१६०	
२९	ह्युम पाइप			
२९.१	एन.पी.३ क्लास हेभी ड्युटी			
	15 से.मी व्यास	र.मी.	२२८५	
	20 से.मी व्यास	र.मी.	२८२४	
	25 से.मी व्यास	र.मी.	३४२७	
	30 से.मी व्यास	र.मी.	३८९९	
	35 से.मी व्यास	र.मी.	४३६९	
	40 से.मी व्यास	र.मी.	४९७४	
	45 से.मी व्यास	र.मी.	५७१३	
	50 से.मी व्यास	र.मी.	६३८५	
	60 से.मी व्यास	र.मी.	७६६३	
	70 से.मी व्यास	र.मी.	९६७८	
	75 से.मी व्यास	र.मी.	११०२२	
	80 से.मी व्यास	र.मी.	१२३६७	
	90 से.मी व्यास	र.मी.	१४०४७	
	100 से.मी व्यास	र.मी.	१५५९३	
	120 से.मी व्यास	र.मी.	१८२८१	
	150 से.मी व्यास	र.मी.	२६८८४	
२९.२	एन. पी. २ क्लास लाइट ड्युटी			
	15 से.मी व्यास	र.मी.	८४१	
	20 से.मी व्यास	र.मी.	१००८	
	25 से.मी व्यास	र.मी.	११४३	
	30 से.मी व्यास	र.मी.	१३३३	
	40 से.मी व्यास	र.मी.	२२१८	
	45 से.मी व्यास	र.मी.	२६२१	
	50 से.मी व्यास	र.मी.	२७५६	
	60 से.मी व्यास	र.मी.	४४३७	
	70 से.मी व्यास	र.मी.	४७०५	
	75 से.मी व्यास	र.मी.	५२४२	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्थित दर रेट	कैफियत
	80 से.मी व्यास	र.मी.	५७८१	
	90 से.मी व्यास	र.मी.	५७६८	
	100 से.मी व्यास	र.मी.	८२००	
	120 से.मी व्यास	र.मी.	९२७६	
	150 से.मी व्यास	र.मी.	१५३२४	
३०	एम.एस.ब्लयाक पाइप मध्यम श्रेणी (विभिन्न साइजको)	के. जी.	९०	
३१	Tools and Occupational Health and			
	Simple Hand Tools			
	Pickaxe 2.5 Kg	No	४०१	
	Shovel	No	५८९	
	Watering Can plastic 5 ltr.	No	५०३	
	Chisel 35mmx225mm (1.5 kg)	No	४५५	
	Wheel Barrow	No	९५२३	
	Crowbar (25-32mm. Dia) 7 kgs	No	१६८५	
	Sledge Hammer (4kgs)	No	१०९१	
	Measuring Tape(5m)	No	१६१	
	Foot Pump	No	१५९४	
	Mason Hammer	No	२५७	
	Rake (12 teeth, 1.2 m length handle)	No	७८१	
	Curved knife (Hasiya) (400 gms)	No	३६४	
	Kodalo	No	५४६	
	Faruwa (1.8 kg)	No	९५२	
	Trowel	No	१५०	
	Pulling Rope(Nilon)	No	१३९	
	Personal Protective Safety Equipments (OSH)			
	Safety Helmate	No	३१०	
	Self illumination Jacket With Print	No	६४२	
	GumBoots	pair	७३८	
	GumBoots (with steel toe)	pair	१३००	
	Shoes	pair	५८९	
	Set of Flag (2)	pair	२१४	
	Mask	No	३४	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्थानीय दर रेट भुट्टा, पाल्पा	आ.व. ०७८/७९ को स्थानीय दर रेट भुट्टा, पाल्पा
	Hand hard Glove	pair	२१४	
	Goggles (Sun Protective)	No	३२१	
	Raincoat (Simple)	No	११५०	
	Traffic Cone	No	१०५९	
	Cap	No	३५३	
३२	खानेपानी सम्बन्धी: Tools (ISI or NS standard)			
	Heating Plate 3"	no	६००	
	Heating Plate 4"	no	६५०	
	Heating Plate 5"	no	८००	
	Heating Plate 6"	no	९००	
	Heating Plate 8"	no	१६५०	
	Heating Plate 10"	no	२२००	
	Heating Plate 12"	no	२६००	
	Pipe Wrench 10"	no	३००	
	Pipe Wrench 12"	no	३५०	
	Pipe Wrench 14"	no	४००	
	Pipe Wrench 18"	no	७००	
	Pipe Wrench 24"	no	१२००	
	Pipe Wrench 36"	no	२६००	
	Pipe Wrench 48"	no	३५००	
	Chain Wrench 3 No.	no	२०००	
	Chain Wrench 4 No.	no	२५००	
	Chain Wrench 6 No.	no	३५००	
	Rechet Threader 1/2"-1"	Set	३४००	
	Rechet Threader 1 1/4"-2"	Set	७०००	
	Rechet Threader 2 1/2"-3"	Set	८०००	
	Adjustable Wrench 10"	No	२५०	
	Adjustable Wrench 12"	No	३००	
	Adjustable Wrench 15"	No	५००	
	Pipe Vice 2 No.	No	१५००	
	Pipe Vice 3 No.	No	२००	
	Pipe Vice 4 No.	No	२५००	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.का.ग.दी. गाउँपालिका को स्विंकृत दर रेट	कैफियत
	Pipe Cutter 2 No.	No	१५००	
	Pipe Cutter 3 No.	No	२५००	
	Pipe Cutter 4 No.	No	४०००	
	Tool Box with Key	No	१३००	
	Teflon Cover	mtr	२५००	
	Thermochrome Chalk (German)	No	३००	
	Thermochrome Chalk (Indian)	No	३००	
	Hack Saw frame	No	१००	
	Hack Saw blade	No	२०	
	Oil Cane	No	५००	
	Rubber Gas Kit	No	२००	
	Teflon Tape	No	२०	
	Blow lamp	No	१५००	
	Sledge hammer 10 lbs	No	१०००	
	Stone Chisel 1"x6"	No	२५०	
	Stone Chisel 1"x12"	No	३५०	
	Spirit Level	No	२००	
	Mason Square 12"	No	२४०	
	Mason Square 18"	No	३६०	
	Steel Brush	No	३०	
	Steel Pan	No	२००	
	Measuring Tape 3m	No	५०	
	Measuring Tape 5m	No	७५	
	Measuring Tape 30m	No	३००	
	Measuring Tape 50m	No	४००	
	Measuring Tape 100m	No	५००	
	Stone cutting hammer	No	२३०	
	Half round file 10"	No	२००	
	Half round file 12"	No	३००	
	Nail Hammer	No	२५०	
	Die Teeth 1/2"	Set	७००	
	Die Teeth 3/4"	Set	७००	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	मा.व. म०७८/७९ को स्विकृत दर रेट	कैफियत
	Die Teeth 1"	Set	७००	
	Die Teeth 1 1/4"	Set	१५००	
	Die Teeth 1 1/2"	Set	१५००	
	Die Teeth 2"	Set	१५००	
	Die Teeth 2 1/2"	Set	१७००	
	Die Teeth 3"	Set	१९००	
	Die Teeth 4"	Set	२५००	
	Shovel	No	४३५	
	Pick Axe	No	४७०	
	Crow bar	No	१५००	
३३	Standard quality Tools (ISI or NS standard)			
	Pipe wrench 12"	Pc	५८०	
	Pipe wrench 14"	Pc	६८०	
	Pipe wrench 18"	Pc	१२६०	
	Pipe wrench 24"	Pc	२१००	
	Adjustable wrench 12"	Pc	१०००	
	Heating plate 4"	Pc	१२८०	
	Heatingplate 6"	Pc	१९२०	
३४	विजुली वायरिङ सम्बन्धी सामानहरू			
	एस.एस.कम्पाइन्ड सकेट	गोटा	१९२	
	५ पिन सकेट	गोटा	४३	
	१० एम्पियर फ्युज	गोटा	४३	
	इण्डिकेटर	गोटा	४३	
	स्वीच	गोटा	२८	
	होल्डर	गोटा	३४	
	घण्टी स्वीच	गोटा	३८	
	लिष्टी ३/४ इन्च (प्लाष्टिक) लम्बाई ६ फीट	गोटा	४३	
	लिष्टी १/२ इन्च (प्लाष्टिक) लम्बाई ६ फीट	गोटा	३२	
	सिलिङ रोज	गोटा	३२	
	४" x ४" पि.भि.सी.बक्स र प्लेट	गोटा	२४	
	६" x ८" पि.भि.सी.बक्स र प्लेट	गोटा	५४	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्थानीय दर रेट	कैफियत
	८" x १०" पि.भि.सी. बक्स र प्लेट	गोटा	६९	
	४" x ४" पि.भि.सी. प्लेट	गोटा	८	
	६" x ८" पि.भि.सी. प्लेट	गोटा	२२	
	७" x ४" पि.भि.सी. प्लेट	गोटा	१५	
	८" x १०" पि.भि.सी. प्लेट	गोटा	३८	
	एस.एस. कम्पाइन्ड बक्स (सानो)	गोटा	२७	
	१६ एम्पियर किटकट	गोटा	३४	
	३/२० पि.भि.सी तार	क्वायल	१५६८	
	३/२२ पि.भि.सी तार	क्वायल	१०२७	
	७/२२ पि.भि.सी तार	क्वायल	२३७९	
Multi Standard Flexible Copper Wire				
	0.50MM	क्वायल	७१७	
	0.75MM	क्वायल	१००५	
	1.0MM	क्वायल	१३१४	
	1.5MM	क्वायल	१९६५	
	2.5MM	क्वायल	३२२२	
	4.0MM	क्वायल	४९२६	
	6.0MM	क्वायल	७२७५	
	10.0MM	क्वायल	१२४७७	
	16.0MM	क्वायल	२३५८०	
	2/20MM	क्वायल	१७५५	
	2/22MM	क्वायल	१२९६	
CONCENTRIC CABLE				
	10 SQ.MM	प्रति मि.	६०	
	25 SQ.MM	प्रति मि.	१३०	
	बल्ब	गोटा	२०	
	LED Bulb 5 watt Warrenty	गोटा	१८६	
	LED Bulb 7 watt Warrenty	गोटा	२३२	
	LED Bulb 9 watt Warrenty	गोटा	२७९	
	LED Bulb 5 watt Local	गोटा	६५	
	LED Bulb 7 watt Local	गोटा	९३	
	LED Bulb 9 watt Local	गोटा	१४०	

क्र.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को लिखित दर रेट	कैफियत
	CFL Bulb 2U 5 w	गोटा	१६८	
	CFL Bulb 2U 22 w	गोटा	१८६	
	CFL Bulb Spirrel 25 w	गोटा	२७९	
	सब मिटर(चाइनिज)	गोटा	३४८	
	टेप	गोटा	११	
	मेन स्वीच	गोटा	१६२	
	बेड स्वीच	गोटा	११	
	टुपीन सकेट	गोटा	३२	
	घण्टी (साधारण)	गोटा	११७	
	घण्टी (मेडियम)	गोटा	२१६	
	क्लिप ३७ - ४३ मी.मी.	गोटा	९	
	क्लिप ५० - ६२ मी.मी.	गोटा	११	
	ट्युब लाईट बत्ती २ फीट/४फीट	गोटा	८२	
	चोक २०/४० वाट	गोटा	१४७	
	स्टार्टर होल्डर	गोटा	१०	
	स्टार्टर	गोटा	१०	
	४ फीट ट्युब लाइट सेट (एन.एस.मार्क)	सेट	३४४	
	ट्युब लाईट २०-४० वाट	गोटा	८०	
	६ मी.मी. पि.भी.सी. तार	र.मी.	२४	
	किटकट ३२ एम्पियर	गोटा	८०	
	६"-८" डायमिटर डोम लाइट	गोटा	२४६	
	एम.सी.वी.	गोटा	१८०	
	वेदर प्रूफ ब्रैकेट लेम्प	सेट	२९५	
	१/२" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	२५	
	१" डायमिटर पि.भी.सी. पाइप लम्बाई ९ फीट	गोटा	४६	
	१/२" क्लैम्प	गोटा	३	
	१" क्लैम्प	गोटा	७	
	१/२" एल्बो	गोटा	३	
	१" एल्बो	गोटा	६	
	१/२" टी	गोटा	३	
	१" टी	गोटा	६	
	१/२" जक्सन	गोटा	६	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई		
	१" जक्सन	गोटा	१२	
	१/२" वेण्ड	गोटा	६	
	१" वेण्ड	गोटा	१२	
	१" लामो ग्रीप्स	गोटा	१	
३५	सामान बाहेक कन्सिल वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	५९	
३६	सामान बाहेक सफेस वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	४८	
३७	सामान सहित कन्सिल वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ट	५३२	
३८	सामान सहित सफेस वायरिंग गर्ने कार्यको ज्याला	प्वाइन्ड	४५४	
३९	सिलिङ्ग फ्यान(४८")/उषा,बजाज वा सो सरह	गोटा	२१००	
४०	इक्जहाउस्ट फ्यान मिडियम	गोटा	१९००	
४१	मिरर लाइट	गोटा	४००	
४२	टेलिफोन सकेट	गोटा	७०	
४३	टेलिफोन जक्सन बक्स(४-५ टे.लाइन)	गोटा	४५	
४४	एम.सी.वी.डिस्ट्रिब्युसन बक्स (पि.भि. सि.)			
	४ वे	गोटा	४५	
	६ वे	गोटा	३५०	
	८ वे	गोटा	४५०	
	१० वे	गोटा	६५०	
	१२ वे	गोटा	८५०	
	एम.सी.वी.डिस्ट्रिब्युसन बक्स (मेटल) १४वे	गोटा	१०५०	
	4 TPN Metal २० वे	गोटा	१९८०	
४५	3 phase मिटर बक्स (मेटल)	गोटा	१५८४	
४६	मिटर बक्स (प्लाष्टिक)	गोटा	२०९	
४७	तार (Conductor)			
	0.03 Sq. inch Weasel ACSR Conductor	र.मी.	४०	
	0.05 Sq. inch Rabbit ACSR Conductor	र.मी.	६१	
	0.1 Sq. inch Dog ACSR Conductor	र.मी.	११५	
४८	स्टे आईटम			
	स्टे सेट (५ फीट)	सेट	१३३१	
	1.8 M dia. 16mm Stay Set (Rod , Plate, Eye ball, Turn Buckle)	सेट	१६०७	
	2.44 M dia. 19mm Stay Set (Rod , Plate, Eye Ball, Turn Buckle)	सेट	३१६४	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.क. ०७८/७९ को.स्व.क. दर रद भुडेवा, पाल्पा	कैफियत
	Stay wire 7/12 SVG	के.जी.	१३७	
	Stay insulator LT	गोटा	८८	
	Stay insulator HT	गोटा	१७६	
	स्टेप फ्ल्याट (LT)	गोटा	५८	

सन्तोष कुमार थापा
अध्यक्ष
माथागढी गाउँपालिका
भुडेवा, पाल्पा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	मा.व. १७८/७९ को स्विकृत दर रेट	कैफियत
४९	Earthing			
४९.१	Earthing Rod 6 Ft. (Copper Coated)	गोटा	१२७०	
४९.२	Earthing Wire (Copper)	के.जी.	१२७०	
४९.३	Earthing Plate 600x600x6 mm (Copper Coated)	गोटा	२१८९	
५०	High Tension Cable			
५०.१	33 kV Insulated Cable, 1-core, 100 sq. mm	मिटर	७५८	
५०.२	33 kV ABC Cable, 100 sq. mm each	मिटर	२४२५	
५०.३	11 kV Insulated Cable, 1-core, 100 sq. mm	मिटर	६६२	
५०.४	11 kV ABC Cable, 100 sq. mm each	मिटर	२३५०	
५१.०	11 kV DO Fuse Set three nos.	सेट	५७१७	
५२.०	9 kV Lightning Arrestor Set three nos.	सेट	६९३०	
५३.०	33 kV DO Fuse Set three nos.	सेट	१७१५१	
५४.०	27 kV Lightning Arrestor Set three nos.	सेट	८४९६	
५५	Cut Out Fuse			
५१.१	200 A Cut Out Fuse 3 Nos.	सेट	१७६०	
५१.२	300 A Cut Out Fuse 3 Nos.	सेट	१९८०	
५१.३	400 A Cut Out Fuse 3 Nos.	सेट	२२००	
५१.४	500 A Cut Out Fuse 3 Nos.	सेट	२४२०	
५६	ABC Cable			
५६.१	25 mm ² ABC Cable	मिटर	१९०	
५६.२	50 mm ² ABC Cable	मिटर	३१८	
५६.३	70 mm ² ABC Cable	मिटर	५०८	
५६.४	95 mm ² ABC Cable	मिटर	६०५	
५६.५	120 mm ² ABC Cable	मिटर	८४०	
५७	Cable Lock			
५७.१	35 mm ² Cable Lock	गोटा	९५	
५७.२	50 mm ² Cable Lock	गोटा	१३०	
५७.३	70 mm ² Cable Lock	गोटा	१५०	
५७.४	90 mm ² Cable Lock	गोटा	१९०	
५७.४	120 mm ² Cable Lock	गोटा	२१०	
५८	D Iron with Shackle Insulator and Nut Bolt	सेट	१५०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ. व. ०७८/७९ को सिक्का दर रेट	कैफियत
५९	11 kV Disk Insulator	गोटा	९४५	
६०	11 kV Tension Clamp	सेट	६५५	
६१	33 kV Tension Clamp	सेट	७३०	
६२	11 kV Pin Insulator with Spindle	सेट	५००	
६३	33 kV Pin Insulator with Spindle	सेट	१४२५	
६४	6 mm ² Concentric Cable	मिटर	२७.०	
६५	16 mm ² Concentric Cable	मिटर	५५	
६६	Full Galvanised Iron			
६६.१	Iron channel	के.जी.	१६०	
६६.२	Full Galvanised Iron Channel	के.जी.	१७५	
६६.३	Full Galvanised Pole Camp	के.जी.	१७५	
६६.४	Full Galvanised Steel Tubular Pole	के.जी.	१४८	
६६.५	Full Galvanised Nut Bolt	के.जी.	२०३	
६७	4-Core Cable			
	25 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	३६८	
६७.१	50 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	५१०	
६७.२	70 sq. mm 4-Core Cable (Almunium Unarmoured)	र.मी.	५७५	
	पोल सम्बन्धी			
६८	PSC POLE पी.एस.सी.पोल			
	८ मीटर लामो psc pole	गोटा	७०३५	
	९ मीटर लामो psc pole	गोटा	७३९२	
	११ मीटर लामो psc pole	गोटा	१४६६९	
६९	10 Core Control Cable	मिटर	१२११	

Stchaki
सन्तोष कुमार थापा
अध्यक्ष
माथागढी गाउँपालिका
भडेवा, पाल्पा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८७/७९ को स्विक्कादर रेट	कैफियत
७०	Transformer			
७०.१	25 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	२५२०००	
७०.२	50 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	३६५०००	
७०.३	100 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	५७५०००	
७०.४	150 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	७२००००	
७०.५	200 kVA, 11/0.4 kV Transformer (Copper Wire)	गोटा	९२९५१०	
७०.६	25 kVA, 33/0.4 kV Transformer (Copper Wire)	गोटा	३३९४७०	
७०.७	50 kVA, 33/0.4 kV Transformer (Copper Wire)	गोटा	४६२२४०	
७०.८	100 kVA, 33/0.4 kV Transformer (Copper Wire)	गोटा	६४४४००	
७०.९	150 kVA, 33/0.4 kV Transformer (Copper Wire)	गोटा	८५५०००	
७०.१०	200 kVA, 33/0.4 kV Transformer (Copper Wire)	गोटा	१०६२०००	
७१.००	Line seperator 2 wire	गोटा	२००	
७२.००	Line seperator 3 wire	गोटा	३००	
७३.००	Line seperator 4 wire	गोटा	४००	
७४.००	PG Clamp for Weasel conductor	गोटा	४००	
७५.००	PG Clamp for Rabbit conductor	गोटा	६२५	
७६.००	PG Clamp for Dog conductor	गोटा	८४०	
७७.००	Suspension Clamp	गोटा	९५०	
७८.००	Anchor Clamp 95 mm 4-core	गोटा	९००	
७९.००	Connector 6-25 mm	गोटा	१९०	
८०.००	Tester	गोटा	१५०	
८१.००	6 A MCB	गोटा	३३०	
८२.००	Nose Pliers	गोटा	८२५	
८३.००	Combination Pliers	गोटा	११००	
८४.००	Screw Driver Set	सेट	१८५५	
८५.००	TOD Meter Box Two Door	गोटा	१००००	
८६.००	Safety Belt	गोटा	७७५३	
८७.००	Safety Helmet	गोटा	९१०	
८८.००	Conductor Strenging Vice Two Ton	सेट	१०६०२	
८९.००	11 kV Disconnecting Switch three nos.	सेट	२२०००	
९०.००	33 kV Disconnecting Switch three nos.	सेट	५९५७२	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	कैफियत
९१.००	Cutting 2 m on both sides of the Lines for 1 km (4000 sq m), HT Bush Cutting	कि.मी.	९१०८
९२.००	Cutting 1 m on both sides of the Lines for 1 km (2000 sq m), LT Bush Cutting	कि.मी.	३०३६
९३	माइको हाइड्रो		
	Service cable 4mm ²	र.मि.	२९
	Lighting Aresster 0.5 KV LT	सेट	६७३
	Earthing Plate 600x600x3	के.जी.	१३४६
	Shackle insulator 4"	गोटा	९०
	D-Iron & L-Pin 4"	के.जी.	१६५
	Stay Rod , Bow & Thimble	सेट	१३२६
	ELC Circuit Board	सेट	२५५००
	Siren Board	सेट	७१४०
	UV/OV trip board	सेट	५१००
	Extension board	गोटा	८१६०
	Volt meter 0-500 V (900mmx900mm)	गोटा	९६९
	Volt meter 0-300 V (900mmx900mm)	गोटा	९६९
	Hz meter 45x55 Hz (900mmx900mm)	गोटा	१६३२
	Volt selector switch	गोटा	७६५
	Hour meter (45mmx45mm)	गोटा	१२२४
	Energy meter	गोटा	६६३०
	Heat Sink 5"x6"	गोटा	६६३
	Heat Sink 5"x9"	गोटा	८१६
	Heat Sink fan system 5"x7"	गोटा	३८२५
	Cooling fan 220 V	गोटा	६१२
	D.O Fuse set	सेट	६१७१
	D.O. Operating rod	गोटा	५०४९
	D.O. fuse 0.5A, 1A, 2A	गोटा	१५३
	Clamp meter AC/DC	गोटा	६१२०
	Transformer (NEEK or equivalent) 25 KVA		२३४६००
	Transformer (NEEK or equivalent) 50 KVA		३७२३००
	Transformer (NEEK or equivalent) 100 KVA		५८६५००
	Ladder folding 10X10"	गोटा	१२३४२

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्थिरकृत दर रेट	कैफियत
९४	कृषि			
	न्युटन बि. टुनीको २ तले मौरी घर (२० फेमको सेट)	गोटा	५०००	
	न्युटन बि. उत्तिस वा अन्यको २ तले मौरी घर (२० फेमको सेट)	गोटा	३५००	
	टुनीको फेममा आंप को न्युटन बी दूई तले घर (२० फेमको सेटको)	गोटा	३५५०	
	५ फ्रेम मौरी गोला रानी सहित	गोटा	३७००	
	आधार चाका १ केजीको	गोटा	१३००	
	बिभेल (टोपी) ठुलो साइज	गोटा	६००	
	बिभेल (टोपी) सानो साइज	गोटा	५५०	
	पंजा कपडाको	एक जोडी	५००	
	पंजा प्लास्टिकको बाक्लो	एक जोडी	३५०	
	पंजा प्लास्टिकको पातलो	गोटा	२००	
	मौरी स्टेण्ड ५ केजीको	गोटा	५००	
	मौरी स्टेण्ड ३ केजीको	गोटा	३५०	
	हाइप टुल	गोटा	१५०	
	मौरी उठाउने/ छोप्ने भोला (स्वार्म बेग)	गोटा	६००	
	महदानी (सेराना) ठुलो (स्टिलको)	गोटा	१००००	
	महदानी (सेराना) सानो (टिनको)	गोटा	७५००	
	महदानी (जस्तापाताको)	गोटा	९०००	
	सेराना आधार चाका प्रेस	गोटा	८०००	
	सेराना आधार चाका रोलर मेशिन	गोटा	९००००	
	धुवादानी (स्टील)	गोटा	२०००	
	धुवादानी (टीन)	गोटा	१०००	
	मौरीको स्टिकर (लेखाई)	गोटा	३०	
	मौरी खाली घर दुवानी (कच्ची सडक)	प्रति कि.मी	७	
	मौरी खाली घर दुवानी (पक्की सडक)	प्रति कि.मी	६	
	मौरी गोला सहित घर पेकिड.	गोटा	१००	
	आधार चाका बनाउने सिमेन्ट साचो	गोटा	६०००	
	क्वीन गेट	गोटा	१००	
	क्वीन केज	गोटा	१००	
	क्वीन एक्सुलेडर	गोटा	१०००	
	हाइभ टुल	गोटा	५००	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
९५	पशु सेवा			
	मठ (सि.ओ श्री र फोर)	गाना	३	
	जै	के.जी	८०	
	वार्षिम	के.जी	३००	
	भेंच	के.जी	१२०	
	वाजरा / सुडान	के.जी	१३०	
	टियोसेन्टी	के.जी	१३०	
	पाल्पा स्टाईलो	के.जी	१२००	
	मोलासेस	के.जी	३००	
	डालेघांसका विरुवाहरु	गोटा	१०	
	भटे	के.जी	३००	
	ग्लाईसीन	के.जी	२००	
	वटरफ्लाई पि	के.जी	२००	
	ईपिल ईपिल	के.जी	२००	
	डिस्मोडियम	के.जी	२००	
	मोलाटो ,पास्पलम	स्लिप	१	
	सम्वासेटारिया	स्लिप	१	
	किम्बु पोलीपट	गोटा	१०	
	राई खानियोको बिरुवा	गोटा	२०	
	सि ओ ५	गोटा	५	
९६	बन			
१	रुख कटान गर्ने			
	समथर जमिनमा	घ.फि.	१४.५	
	सामान्य भिरालो जमिनमा	घ.फि.	२२	
	भिरालोमा	घ.फि.	२६.५	
१.१	सेक्सनिङ्ग गर्ने	घ.फि.	९.५	
१.२	बोक्रा हटाउने	घ.फि.	६	
१.३	नापी तथा नम्बरिङ्ग गर्ने	घ.फि.	३.५	
१.४	गोलिया यार्डिङ्ग गर्ने	घ.फि.	१८	
१.५	गोलिया काठ लोडिङ्ग गर्ने	घ.फि.	२१.५	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विक्कत दर रेट	कैफियत
	गोलिया काठ अनलोडिङ गर्ने	घ.फि.	१४.५	
	पाईलिङ गर्ने	घ.फि.	१२	
	दुवानी ५ कि.मी. सम्म	घ.फि.	३६	
२	दुवानी ५ की.मी सम्म दाउरा कटान मुछान गर्ने	चट्टा	३०२५	
२.१	याडिङ गर्ने (20x5x5 फिट साईज)	चट्टा	१८१५	
२.२	लोडिङ गर्ने (20x5x5 फिट साईज)	चट्टा	१८१५	
२.३	अनलोडिङ गर्ने (20x5x5 फिट साईज)	चट्टा	१०८९	
२.४	दुवानी (20x5x5 फिट साईज)	चट्टा	२६६२	
२.५	घाटगद्दी गर्ने	चट्टा	४२.९	
२.६	चट्टा निर्माण (20x5x5 फिट साईज)	चट्टा	१२१०	
३	जडिबुटी तथा गैरकाष्ठ वन पैदावारको संकलन खर्च			
३.१	तेजपात संकलन	के.जी.	२५	
३.२	दालचिनी बोक्रा संकलन	के.जी.	३५	
३.३	गिठी तथा काउलो बोक्रा संकलन	के.जी.	३०	
३.४	चुत्रो बोक्रा संकलन	के.जी.	३०	
४	बिरुवा			
४.१	बोधिचित्त अगरउड समेतका बहुमुल्य प्रजातीका बहुवर्षे बिरुवा	गोटा	५००	
४.२	रुद्राक्ष तथा श्रीखण्ड बिरुवा	गोटा	२५०	
४.३	कुरीलो बिरुवा	गोटा	२५	
४.४	गुर्जो बिरुवा	गोटा	१५	
४.५	किम्बु बिरुवा पोलिथिन	गोटा	१५	
४.६	टिमुर बिरुवा	गोटा	५०	
४.७	तेजपात बिरुवा	गोटा	२५	
५	गोठेमल	के.जी.	५	
	अम्रिसो (जरा समेत)	गोटा	७	
	नेपियर सेट	गोटा	३	
	बाँस राइजोम सहित	गोटा	२५०	
	पोलिथिन टयुब (२०० गेज)	के.जी.	३००	
	निगालो (जरा सहित)	गोटा	१०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ. व. ०७८/७९ को स्विकृत दर रेट	कैफियत
	बाँस			
	तेजपात बिरुवा (पोलिथिन)	गोटा	१७५	
	टिमुर बिरुवा (थैली)	गोटा	२५	
	चिउरी लगायत जडिबुटी बिरुवा	गोटा	४५	
	बाँसको कटिड बिरुवा	गोटा	२५	
	लौठ सल्ला बिरुवा	गोटा	१२५	
	ओखर बिरुवा	गोटा	३५	
	कपुर बिरुवा	गोटा	१२५	
	लप्सी बिरुवा	गोटा	२५	
	चिराइतो बिरुवा	गोटा	२५	
	धुपी बिरुवा	गोटा	६	
	खर	गोटा	१७	
	कफी	मूठा	११	
	लहरे पिपल	गोटा	१५	
	बहुवर्षिय बिरुवा खरिद सौन्दर्य प्रजाति (निजी नर्सरी बाट)	गोटा	१५	
	विविध	गोटा	५००	
९७	डोरी नरिवल			
९८	दाउरा	के.जी.	१५०	
९९	खाली जुट बोरा: नयाँ ठूलो	के.जी.	१०	
१००	खाली जुट बोरा: पुरानो	गोटा	११	
१०१	सिमेन्टको खाली बोरा	गोटा	२५	
१०२	१२' x १२' प्लाष्टिक त्रिपाल	गोटा	१०	
१०३	पोलिथिन सीट (५००गेज)	गोटा	६४०	
०४	ट्रान्सप्यारेन्ट सीट	र.मी.	१३	
	०.६ मी.मी मोटाई	व.मी	६३५	
	०.८ मी.मी मोटाई	व.मी	७८५	
	१.२ मी.मी मोटाई	व.मी	१००१	
	१.२ मी.मी मोटाई	गोटा	१५७०	
०५	६' x ३' बाँसको मान्द्रो	गोटा	४२५	
०६	नाइलनको डोरी	के.जी.	१२०	
०७	६० से.मी. म्यानहोल कभर	गोटा	२०००	
०८	पर्दा सम्बन्धी			

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को विवरण दर रेट	कैफियत
	पर्दाको पाइप(आल्मुनियम)	र.मी	८४	
	पर्दाको पाइप(स्पेशल प्लाटिक कोटेड)	र.मी	११५	
	इन्ड क्याप(आल्मुनियम)	गोटा	२१	
	इन्डक्याप(स्पेशल प्लाटिक कोटेड)	गोटा	२९	
	हुक(१०० पिसको प्याकेट)	प्याकेट	१८५	
१०९	प्लाष्टिक पोखरीको लागि			
	४५ जी.एस.एम.	व.मी.	५०	
	७० जी.एस.एम.	व.मी.	६०	
	९० जी.एस.एम.	व.मी.	६८	
	१२० जी.एस.एम.	व.मी.	८९	
	१५० जी.एस.एम.	व.मी.	१३६	
	२०० जी.एस.एम.	व.मी.	१८८	

सन्तोष कुमार थापा
 अध्यक्ष
 माथागढी गाउँपालिका
 भुडेवा, पाल्पा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
११०	घ मी.मी. बाक्लो UPVC सिटले छाना छाउने			
	घ मी.मी. बाक्लो UPVC सिट(छाना छाउने)	व.मी.	१४२८	
	घ मी.मी. बाक्लो UPVC सिट(धुरी छाउने) 2' x 3' 5"	र.मी.	१३८०	
१११	जे हुक	गोटा	८	
११२	क्लीप	गोटा	९	
	३ " किल्ला	गोटा	१३	
	२.५ " किल्ला	गोटा	१२	
	२.० " किल्ला	गोटा	१४	
	१.५ " किल्ला	गोटा	१४	
	१.० " किल्ला	गोटा	१२	
११३	UPVC Door/Windows			
	UPVC Sliding Windows Frame (80/50mm), Sliding window sash (38/62mm) with net all complete inside 1.5 mm galvanized reinforcement, 5 mm clear glass (white colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	५८५	
	UPVC Door Frame (80/50mm), door frame 112/42 mm door sash 80*200mm pannel, inside 1.5 mm galvanized reinforcement, 5 mm clear glass (White colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	६७५	
	UPVC casement Window(60*72mm), sash inside 1.5 mm galvanized reinforcement, 5 mm clear glass (White colour) including the cost of materials and labour and fixing and fitting all complete	Sq.Ft	६०८	
११४	रेडिमेड भ्याल, ढोका र पार्टिसन, सिलीङ तथा छानाहरु			
१	IRON DOOR/WINDOWS/VENTILATION			
१.१	Powder Coated Iron Door/Window/Ventilation Frame of Size 100mmX50mm with 1.6mm thick moulded Iron Sheet Incuding Holdfast,hing etc.	R.ft	२७०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. को स्विक्कृत दर रेट	कैफियत
१.२	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete .	Sq.Ft	६१०	
१.३	Powder Coated Iron Door/Window/Ventilation Glaze Shutter of Size 70mmX25mm with 1mm thick moulded Iron Sheet Incuding 4mm plain glass and accessories and fitting all complete (Single batten added)	Sq.Ft	६५०	
१.४	Powder Coated Almunium Window/Ventilation Frame of Size 38mmX20mm and fitting all complete	Sq.Ft	४२५	
२	Readymade Fiber Door			
२.१	Fiber Singel Simple panel	Sq.Ft	७०८	
२.२	Fiber dauble simply designed panel	Sq.Ft	७९६	
२.३	Fiber dauble designed panel	Sq.Ft	११९५	
२.४	28mm fiber lamination board	Sq.Ft	३१०	
	Puff Panel (Roofing Panel)			
२.५	38mm thick panel	Sq.Ft	१९९	
२.६	40mm thick panel	Sq.Ft	२१७	
२.७	75mm thick panel	Sq.Ft	२७०	
	Puff Panel (Wall Panel)			
२.८	30mm thick panel	Sq.Ft	१६८	
२.९	40mm thick panel	Sq.Ft	१९०	
२.१०	50mm thick panel	Sq.Ft	२०८	
२.११	65mm thick panel	Sq.Ft	२३५	
२.१२	75mm thick panel	Sq.Ft	२५२	
३	Readymade RCC door, Window & arc			

सन्तति कुमार थापा
 अध्यक्ष
 माथागढी गाउँपालिका
 भडौवा, पल्लु

30
 सन्तुष्टि कमाल थापा
 ०७८/७९
 को सिविल दर रेट
 कैफियत

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व.	कैफियत
३.१	Readymade RCC door, Window & frames of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft	२३६	
३.२	Readymade RCC Ventilation of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft	२३६	
३.३	Readymade RCC Doors & Window Arc Frame (Semi Circular) of section 4"x2.75x with concrete mix desigine of 1:1:1 proportion and 2 Nos of 7mm diameter rebar incuding arrangement of necessary holes and safety plates all complete	R.ft	४७५	
४	Ceilings Works			
४.१	Providing and fixing of PVC ceiling/wall with 8mm thick panels including all necessary support fixtures.	Sq.Ft	२२५	
४.२	Providing and fixing Gypsum Board including all necessary support fixtures.			
५	Roofing Works			
५.१	Corrugated/Plain Fiber Glass Sheet			
	0.8mm thick plain	प्रति.व फि	११५	
	0.8mm thick corrugated	प्रति.व फि	१२७	
११५	स्टेनलेस स्टील रेलीड.			
	४ लाईन (२ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	३२८०	
	३ लाईन (२ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	२९५२	
	३ लाईन (१.५ इन्च माथिल्लो र १ इन्च तल्लो पाईप)	र.मी.	२७८८	
	स्टेनलेस स्टील पाईप (२ इन्च)	र.मी.	४५०	
	स्टेनलेस स्टील पाईप (१.५ इन्च)	र.मी.	३५०	
	स्टेनलेस स्टील पाईप (१ इन्च)	र.मी.	२५०	

सन्तुष्टि कमाल थापा
 ०७८/७९
 माथागढी गाउँपालिका

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
११६	कम्पोजीट प्यानल			
	४ मी.मी. कम्पोजीट प्यानल	ब. मी.	१६२८	
	३ मी.मी. कम्पोजीट प्यानल	ब. मी.	१२५०	
	२.५ मी.मी. कम्पोजीट प्यानल	ब. मी.	१०४०	
११७	Hessian jute	ब. मी.		
११८	Water proofing Treatment			
	Zentrifix-elastic of MC-Bauchemie or equivalent or superior	के.जी.	७३५	
	Dichtament DS mixed with Nafufill BB2 or Nafufill SBR of MC-Bauchemie or equivalent or superior	के.जी.	६३०	
	Dichtament DS2 of MC-Bauchemie or equivalent or superior	के.जी.	६३०	
	Roofex 200 the product of MC-bauchemie or equivalent or superior	के.जी.	११५५	
	MC-special DM of MC -Bauchemie or equivalent or superior	के.जी.	५३	
११९	Water Repellent Coating			
१२०	Nisiwa-SH or MC-bauchemie or equivalent or superior	के.जी.	३१५	
१२१	Structural Strengthening and retrofitting Works			
	FYFE wrap carbon fiber	ब.फी.	१७३३	
१२२	Cementious Injection			
	MC-Bauchemie Centricrete or equivalent or superior	के.जी.	३००	
१२३	Epoxy Injection			
	MC Bauchemie or equivalent or superior	के.जी.	८४५३	
१२४	PU Injection			
	MC Bauchemie MC Injekt 2300 NV or equivalent or superior	के.जी.	११९४९	
	MC Bauchemie MC Injekt 2700 NV or equivalent or superior	के.जी.	११९४९	
	MC Bauchemie MC Injekt 2300 plus (Resin+Hardneer or equivalent or superior	के.जी.	११९४९	
१२५	Concrete Admixture			

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विक्कृत दर रेट	कैफियत
	MC Zentriment F BV -high early strength super	के.जी.	१२०	
	MC Zentriment Super BV -Super plasticizer an	के.जी.	१२०	
	MC Powerflow 2239-high range water reducer	के.जी.	३८०	
१२६	Water Proofing Membrane			
	Hi-Tuff TPO Membrane (1.5 mm thickness) of Le	के.जी.	८८०	
१२७	CPVC Pipe and fittings PLUMBING SYSTEM			
	CPVC PIPE SDR -11			
	15mm dia	र.मी.	१३५	
	20mm dia	र.मी.	२१०	
	25mm dia	र.मी.	३१०	
	32mm dia	र.मी.	४५०	
	40mm dia	र.मी.	६३५	
	50mm dia	र.मी.	१०७५	
	Ball Valve(normal)			
	15mm dia	गोटा	२३०	
	20mm dia	गोटा	३५०	
	25mm dia	गोटा	५८०	
	32mm dia	गोटा	१०००	
	40mm dia	गोटा	१६७५	
	50mm dia	गोटा	२४७०	
	step over bend			
	15mm dia	गोटा	११०	
	20mm dia	गोटा	१६०	
	25mm dia	गोटा	३००	
	Elbow 90°			
	15mm dia	गोटा	१८	
	20mm dia	गोटा	३५	
	25mm dia	गोटा	६०	
	32mm dia	गोटा	१२०	
	40mm dia	गोटा	१७५	
	50mm dia	गोटा	३८०	
	Elbow 45°			

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	मा.व. ०७८/७९ को सिक्कत दर रेट भन्डवा, पाल्पा	कैफियत
	15mm dia	गोटा	२३	
	20mm dia	गोटा	३४	
	25mm dia	गोटा	५५	
	32mm dia	गोटा	९५	
	40mm dia	गोटा	२१०	
	50mm dia	गोटा	४८५	
	coupler (socket)			
	15mm dia	गोटा	१३	
	20mm dia	गोटा	२२	
	25mm dia	गोटा	३८	
	32mm dia	गोटा	७६	
	40mm dia	गोटा	१२३	
	50mm dia	गोटा	२६०	
	Equal Tee			
	15mm dia	गोटा	२१	
	20mm dia	गोटा	४३	
	25mm dia	गोटा	७४	
	32mm dia	गोटा	१५५	
	40mm dia	गोटा	२३३	
	50mm dia	गोटा	५०४	
	Cross Tee			
	15mm dia	गोटा	५४	
	20mm dia	गोटा	१०२	
	25mm dia	गोटा	१९६	
	Union			
	15mm dia	गोटा	१३३	
	20mm dia	गोटा	२०९	
	25mm dia	गोटा	२४८	
	32mm dia	गोटा	३६४	
	40mm dia	गोटा	५२०	
	50mm dia	गोटा	८५३	
	End cap			

Skhapp
21/9/94
सन्तोष कुमार 34
आ.व. 078/79
को स्वकृतमदर रेट
गण्डेवा, पाल्पा
कैफियत

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व.	
	15mm dia	गोटा	१३	
	20mm dia	गोटा	२०	
	25mm dia	गोटा	३०	
	32mm dia	गोटा	५१	
	40mm dia	गोटा	८३	
	50mm dia	गोटा	१५०	
	SINGLE UNION COMPACT BALL VALVE			
	15mm dia	गोटा	२१७	
	20mm dia	गोटा	३६६	
	25mm dia	गोटा	६१८	
	32mm dia	गोटा	१०५२	
	40mm dia	गोटा	१७७१	
	50mm dia	गोटा	२६२४	
	MALE THREADED ADAPTER BRASS			
	15mm dia	गोटा	२०१	
	20mm dia	गोटा	२७७	
	25mm dia	गोटा	४८३	
	32mm dia	गोटा	१०६६	
	40mm dia	गोटा	१३१०	
	50mm dia	गोटा	२३४६	
	FEMALE THREADED ADAPTER BRASS			
	15mm dia	गोटा	२०८	
	20mm dia	गोटा	२७८	
	25mm dia	गोटा	५०७	
	32mm dia	गोटा	९७०	
	40mm dia	गोटा	१२०७	
	50mm dia	गोटा	१९६४	
	FEMALE THREADED ELBOW BRASS			
	1/2*1/2	गोटा	१०३	
	3/4*3/4	गोटा	१५०	
	3/4*1/2	गोटा	१०६	

Skhapp
21/9/94
सन्तोष कुमार
आ.व. 078/79
को स्वकृतमदर रेट
गण्डेवा, पाल्पा
कैफियत

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	मा.व. ०७८/७९ को स्वीकृत दर रेट	कैफियत
	1*1/2	गोटा	१६९	
	MALE THREADED ELBOW			
	20mm dia x 1/2	गोटा	१७५	
	25mm dia X 1/2	गोटा	१८६	
	25mm dia X 3/4	गोटा	२१८	
	32mm dia X 1/2	गोटा	३५२	
	32mm dia X 3/4	गोटा	२७०	
	32mm dia X 1	गोटा	४९४	
	FEMALE THREADED TEE			
	20mm dia x 1/2	गोटा	१३४	
	25mm dia X 1/2	गोटा	१५६	
	25mm dia X 3/4	गोटा	१९९	
	32mm dia X 1/2	गोटा	२३०	
	32mm dia X 3/4	गोटा	२५३	
	32mm dia X 1	गोटा	४०२	
	MALE THREADED TEE			
	20mm dia x 1/2	गोटा	१८१	
	25mm dia X 1/2	गोटा	१८१	
	25mm dia X 3/4	गोटा	२२२	
	32mm dia X 1/2	गोटा	२७७	
	32mm dia X 3/4	गोटा	२८४	
	32mm dia X 1	गोटा	५०८	
	FEMALE THREADED, ELBOW, WITH DISK			
	20mm dia x 1/2	गोटा	१८६	
	25mm dia X 1/2	गोटा	२३८	
	25mm dia X 3/4	गोटा	२७४	
	MALE THREADED, ELBOW, WITH DISK			
	20mm dia x 1/2	गोटा	१४९	
	25mm dia X 1/2	गोटा	२५०	
	25mm dia X 3/4	गोटा	३०५	
	MALE UNION			
	20mm dia x 1/2	गोटा	३०६	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	मा.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
	25mm dia X 1/2	गोटा	४४३	
	REDUCTION coupler			
	3/4*1/2	गोटा	२५	
	1*1/2	गोटा	३५	
	1*3/4	गोटा	३६	
	1-1/4*1/2	गोटा	९६	
	1-1/4*3/4	गोटा	९८	
	1-1/4*1	गोटा	१०३	
	1-1/2*1/2	गोटा	११९	
	1-1/2*3/4	गोटा	१३७	
	1-1*1/2	गोटा	१४३	
	1-1/2*1-1/4	गोटा	१५०	
	2*3/4	गोटा	२६०	
	2*1	गोटा	२०८	
	2*1-1/4	गोटा	२३३	
	2*1-1/2	गोटा	२२९	
	REDUCTION TEE			
	3/4*1/2	गोटा	४५	
	1*1/2	गोटा	६७	
	1*3/4	गोटा	७३	
	1-1/4*1/2	गोटा	१९२	
	1-1/4*3/4	गोटा	२०५	
	1-1/4*1	गोटा	१२१	
	1-1/2*1/2	गोटा	२९५	
	1-1/2*3/4	गोटा	३१४	
	1-1*1/2	गोटा	२११	
	1-1/2*1-1/4	गोटा	२७०	
	2*3/4	गोटा	४१९	
	2*1	गोटा	४२४	
	2*1-1/4	गोटा	४५२	
	2*1-1/2	गोटा	४६२	
	REDUCING ELBOW			

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. को स्विकृत दर रेट	कैफियत
	3/4*1/2	गोटा	४५	
१२८	ITPF PPR 3 LAYER PLUMBING SYSTEM			
	PIPE (PN 4/SDR 26) - 3 LAYER			
	40mm dia	र.मी.	९५	
	50mm dia	र.मी.	१३६	
	63mm dia	र.मी.	२१५	
	PIPE (PN 6/SDR 17.6) - 3 LAYER			
	32mm dia	र.मी.	८२	
	40mm dia	र.मी.	१२७	
	50mm dia	र.मी.	१९८	
	63mm dia	र.मी.	३०८	
	PIPE (PN 10/SDR 11) - 3 LAYER	र.मी.		
	20mm dia	र.मी.	४८	
	25mm dia	र.मी.	७४	
	32mm dia	र.मी.	११८	
	40mm dia	र.मी.	१८६	
	50mm dia	र.मी.	२८९	
	63mm dia	र.मी.	४८०	
	PIPE (PN 16/SDR 7.4) - 3 LAYER			
	16mm dia	र.मी.	४४	
	20mm dia	र.मी.	६६	
	25mm dia	र.मी.	१०८	
	32mm dia	र.मी.	१७३	
	40mm dia	र.मी.	२६९	
	50mm dia	र.मी.	४१९	
	63mm dia	र.मी.	६६०	
	PIPE (PN 20/SDR 6) - 3 LAYER			
	16mm dia	र.मी.	४७	
	20mm dia	र.मी.	८०	
	25mm dia	र.मी.	१२५	
	32mm dia	र.मी.	२०३	
	40mm dia	र.मी.	३१४	

Mathagadhi Rate (Materials) Palpa 078/79
 सन्तोष कुमार थापा
 ०७८/७९
 माथागढी गाउँपालिका
 ३८

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	पाठ्य कैफियत
	50mm dia	र.मी.	४८७	
	63mm dia	र.मी.	७७३	
	Palstic Ball Valve			
	20mm dia	गोटा	१२१	
	25mm dia	गोटा	१७३	
	32mm dia	गोटा	२७५	
	40mm dia	गोटा	६६५	
	50mm dia	गोटा	८८९	
	63mm dia	गोटा	८४६	
	Stop Valve			
	20mm dia	गोटा	३१८	
	25mm dia	गोटा	४२२	
	32mm dia	गोटा	५०९	
	40mm dia	गोटा	८३६	
	50mm dia	गोटा	१२१७	
	63mm dia	गोटा	१६२२	
	Concealead Stop Valve			
	20mm dia	गोटा	८२२	
	25mm dia	गोटा	९१३	
	32mm dia	गोटा	१०६६	
	Elbow 90°			
	20mm dia	गोटा	१४	
	25mm dia	गोटा	२५	
	32mm dia	गोटा	४४	
	40mm dia	गोटा	९१	
	50mm dia	गोटा	१५५	
	63mm dia	गोटा	३००	
	Elbow 45°			
	20mm dia	गोटा	१७	
	25mm dia	गोटा	२९	
	32mm dia	गोटा	४२	
	40mm dia	गोटा	८३	

Mathagadhi Rate (Materials) Palpa 078/79
 सन्तोष कुमार थापा
 ०७८/७९
 माथागढी गाउँपालिका

क.सं.	निर्माण सामग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
	50mm dia	गोटा	१४६	
	63mm dia	गोटा	२३६	
	Socket			
	20mm dia	गोटा	११	
	25mm dia	गोटा	१७	
	32mm dia	गोटा	२६	
	40mm dia	गोटा	५०	
	50mm dia	गोटा	७९	
	63mm dia	गोटा	१५०	
	Tee			
	20mm dia	गोटा	१७	
	25mm dia	गोटा	३०	
	32mm dia	गोटा	५३	
	40mm dia	गोटा	१०८	
	50mm dia	गोटा	१७८	
	63mm dia	गोटा	३५०	
	Cross Tee			
	20mm dia	गोटा	३१	
	25mm dia	गोटा	४३	
	32mm dia	गोटा	७९	
	Crossover			
	20mm dia	गोटा	९०	
	25mm dia	गोटा	१२५	
	32mm dia	गोटा	१८४	
	Wall clamp			
	20mm dia	गोटा	१२	
	25mm dia	गोटा	१४	
	32mm dia	गोटा	१७	
	40mm dia	गोटा	२३	
	50mm dia	गोटा	३५	
	63mm dia	गोटा	४४	
	Union			

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ. व. ०७८/७९ को स्विक्त दर रेट	कैफियत
	20mm dia	गोटा	६२	
	25mm dia	गोटा	११२	
	32mm dia	गोटा	१७९	
	40mm dia	गोटा	३०७	
	50mm dia	गोटा	५०८	
	63mm dia	गोटा	६६४	
	Flange			
	40mm dia	गोटा	३२८	
	Shot Plug			
	20mm dia	गोटा	१०	
	25mm dia	गोटा	१२	
	32mm dia	गोटा	३२	
	Long Plug			
	20mm dia	गोटा	१७	
	Tank Nipple			
	20mm dia	गोटा	६६	
	25mm dia	गोटा	१०६	
	32mm dia	गोटा	१२१	
	Rubber seal			
	6" width	र.मि.	१०००	
	9" width	र.मि.	८००	
	FEMALE THREADED SOCKET			
	20mm dia x 1/2	गोटा	१२७	
	25mm dia X 1/2	गोटा	१४४	
	25mm dia X 3/4	गोटा	१६०	
	32mm dia X 1/2	गोटा	१५२	
	32mm dia X 3/4	गोटा	१६४	
	32mm dia X 1	गोटा	३५९	
	40mm dia X 1.25	गोटा	६१७	
	50mm dia X 3/4	गोटा	७९२	
	63mm dia X 2	गोटा	११७०	
	75mm dia X 2.5	गोटा	२३६८	

स्थानीय
मन्त्रालय
अध्यक्ष
माथागढी गाउँपालिका
को स्विकृत दर रेट भन्नेता, कैफियत

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	
	MALE THREADED SOCKET			
	20mm dia x 1/2	गोटा	१७०	
	25mm dia X 1/2	गोटा	१६४	
	25mm dia X 3/4	गोटा	२०६	
	32mm dia X 1/2	गोटा	२३४	
	32mm dia X 3/4	गोटा	२४२	
	32mm dia X 1	गोटा	४६२	
	40mm dia X 1.25	गोटा	६९५	
	50mm dia X 3/4	गोटा	१०४५	
	63mm dia X 2	गोटा	१५१३	
	75mm dia X 2.5	गोटा	३६२८	
	FEMALE THREADED ELBOW			
	20mm dia x 1/2	गोटा	१३१	
	25mm dia X 1/2	गोटा	१८६	
	25mm dia X 3/4	गोटा	१९४	
	32mm dia X 1/2	गोटा	२५४	
	32mm dia X 3/4	गोटा	२८७	
	32mm dia X 1	गोटा	३५८	
	MALE THREADED ELBOW			
	20mm dia x 1/2	गोटा	१७५	
	25mm dia X 1/2	गोटा	१८६	
	25mm dia X 3/4	गोटा	२१८	
	32mm dia X 1/2	गोटा	३५२	
	32mm dia X 3/4	गोटा	२७०	
	32mm dia X 1	गोटा	४९४	
	FEMALE THREADED TEE			
	20mm dia x 1/2	गोटा	१३४	
	25mm dia X 1/2	गोटा	१५६	
	25mm dia X 3/4	गोटा	१९९	
	32mm dia X 1/2	गोटा	२३०	
	32mm dia X 3/4	गोटा	२५३	
	32mm dia X 1	गोटा	४०२	

स्थानीय
मन्त्रालय
अध्यक्ष
माथागढी गाउँपालिका

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. को स्विकृत दर रेट	कैफियत
	MALE THREADED TEE			
	20mm dia x 1/2	गोटा	१८१	
	25mm dia X 1/2	गोटा	१८१	
	25mm dia X 3/4	गोटा	२२२	
	32mm dia X 1/2	गोटा	२७७	
	32mm dia X 3/4	गोटा	२८४	
	32mm dia X 1	गोटा	५०८	
	FEMALE THREADED, ELBOW, WITH DISK			
	20mm dia x 1/2	गोटा	१८६	
	25mm dia X 1/2	गोटा	२३८	
	25mm dia X 3/4	गोटा	२७४	
	MALE THREADED, ELBOW, WITH DISK			
	20mm dia x 1/2	गोटा	१४९	
	25mm dia X 1/2	गोटा	२५०	
	25mm dia X 3/4	गोटा	३०५	
	MALE UNION			
	20mm dia x 1/2	गोटा	३०६	
	25mm dia X 1/2	गोटा	४४३	
	REDUCTION SOCKET			
	25-20	गोटा	१९	
	32-20	गोटा	२६	
	32-25	गोटा	२८	
	40-20	गोटा	४०	
	40-25	गोटा	४४	
	40-32	गोटा	५५	
	50-20	गोटा	७१	
	50-25	गोटा	७८	
	50-32	गोटा	८२	
	50-40	गोटा	९७	
	63-25	गोटा	१४४	
	63-32	गोटा	१४९	
	63-40	गोटा	१५०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. माथ्यागढी गाउँपालिका को स्विकृत दर रेट	कैफियत
	63-50	गोटा	१५४	
	REDUCTION TEE			
	25*20*25	गोटा	३४	
	32*20*32	गोटा	५३	
	32*25*32	गोटा	५९	
	40*20*40	गोटा	८३	
	40*25*40	गोटा	९०	
	40*32*40	गोटा	९५	
	50*20*50	गोटा		
	50*25*50	गोटा	१८८	
	50*32*50	गोटा	१९३	
	50*40*50	गोटा	२०५	
	63*25*63	गोटा	२४६	
	63*32*63	गोटा	२४७	
	63*40*63	गोटा	२५०	
	63*50*63	गोटा	२७४	
	REDUCING ELBOW			
	25-20	गोटा	२६	
	32-20	गोटा	४०	
	32-25	गोटा	५०	
	40-32	गोटा	१२६	
	50-40	गोटा	१४०	
१२९,क	Aluminum ढोका तथा भ्याल			
	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	ब.मी	५८००	

सन्तोष कुमार थापा
 अध्यक्ष
 माथ्यागढी गाउँपालिका
 भुङ्गवा, पाल्पा

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्थित दर	कैफियत
	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	ब.मी	६९००	
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	ब.मी	६५००	
	Aluminium Sliding Window without ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	ब.मी	६९००	
	Aluminium Sliding Window with fixed ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	ब.मी	६७८०	
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size 20-30 Sq. ft)	ब.मी	७८६५	
	Aluminium Swing Door with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	ब.मी	६७८०	

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.ब. ०७८/७९ को स्विकृत दर रेट	कैफियत
	Aluminium Ventilation Louver with naturally anodized aluminium (section 101.6mm*44mm*1.5 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	७४६०	
	Aluminium Partition with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	४०७०	
	Glass Partition with naturally anodized aluminium (section 62mm*38mm*1.5mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete		०	
	8mm	ब.मी	५७१५	
	10mm	ब.मी	७६००	
	12mm	ब.मी	९५००	
१२९,ख	Aluminum ढोका तथा झ्याल			
	Aluminium Sliding Window with sliding ventilation with naturally anodized aluminium (section 101.6mm*44mm*1.2 mm) with 5mm th. clear glass and steel net including materials and labour and fixing and fitting all complete (Size >30 Sq. ft)	ब.मी	५५२२	
	Aluminium Swing Door with naturally anodized aluminium (section 101.6mm*44mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete (Size > 21Sq. ft)	ब.मी	५५२२	
	Aluminium Partition with naturally anodized aluminium (section 62mm*38mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	३८०८	
	Aluminium Partition with naturally anodized aluminium (section 101.6mm*44mm*1.2 mm) with 5mm th. clear glass including materials and labour and fixing and fitting all complete	ब.मी	४३०४	
१२९,ग	X-Ray lead Sheet			

क.सं.	निर्माण सामाग्रीको विवरण	प्रति इकाई	आ.व. ०७८/७९ को स्विकृत दर रेट	कैफियत
	1 mm thick	ब.मी	८०४०	
	1.5 mm thick	ब.मी	९९२५६	

- नोट :-
- १) माथि उल्लेखित दर रेट तानसेन बजार क्षेत्र तथा सिद्धार्थ राजमार्गको (बुटवल तानसेन सडक)सँग जोडिएका ठाउँहरूमा लागु हुनेछ र बाँकी अन्य ठाउँमा यो दररेटमा सिद्धार्थ राजमार्गको (बुटवल तानसेन सडक)बाट ढुवानी भाडा जोडिनेछ।
 - २) माथि उल्लेखित दर रेटमा मूल्य अभिवृद्धि कर (भ्याट) समावेश गरिएको छैन।
 - ३) माथि उल्लेखित आइटम बाहेक अन्य आइटमको दर रेट छिमेकी तथा अन्य जिल्लाको दर रेटमा ढुवानी जोडी कायम गरीने छ अन्यको हकमा नियमानुसार हुने छ।
 - ४) तानसेन नगर क्षेत्रभित्र काम गर्दा पानीको मूल्य प्रति लिटर रु.०.४ हुनेछ। कार्य क्षेत्रको वरिपरि ५०० मिटर भित्र पानी उपलब्ध हुन नसक्ने भएमा समेत उल्लेखित दर प्रयोग गर्न सकिने छ।
 - ५) हयूम पाईप, माइको हाइड्रो, तथा एच डि पी पाइप, ग्याबीयन जाली र पोलको हकमा बुटवलदेखि सम्बन्धित साइटको ढुवानी जाडिनेछ।
 - ६) सदरमुकाम बाहिर निर्माण कार्य गराउदा छड लगायत का निर्माण सामाग्रीको लोड अनलोड नर्मस अनुसार राख्न सकिने छ।
 - ७) हेभी इक्युपमेन्ट प्रयोग गर्दा हेभी इक्युपमेन्टको सरकारी दर रेट तथा नर्मस अनुसार हुनेछ।

Stehop
सन्तोष कुमार थापा
12/12/19
माथागढी गाउँपालिका
अध्यक्ष

१३० यू.पी.भी सी पाइप

क.सं.	पाइप साइज		इकाई	जिल्ला दर रेट ०७८/७९				कैफियत
	मी.मी.	इन्च		2.5 kg/cm ²	4 kg/cm ²	6 kg/cm ²	10 kg/cm ²	
१	२०	१/२"	प्रति र.मी.	-	-	-	३३.००	
२	२५	३/४"	प्रति र.मी.	-	-	-	५२.००	
३	३२	१"	प्रति र.मी.	-	-	-	८४.००	
४	४०	१.२५"	प्रति र.मी.	-	-	८६.००	१३२.००	
५	५०	१.५"	प्रति र.मी.	-	-	१२८.००	२०८.००	
६	६३	२"	प्रति र.मी.	-	१४४.००	२१९.००	३३१.००	
७	७५	२.५"	प्रति र.मी.	-	२०५.००	३०८.००	४६७.००	
८	९०	३"	प्रति र.मी.	१९१.००	२९९.००	४३६.००	६८०.००	
९	११०	४"	प्रति र.मी.	२६८.००	४०९.००	६३२.००	१००६.००	
१०	१२५	४.५"	प्रति र.मी.	३६२.००	५६६.००	८३९.००	१२९५.००	
११	१४०	५"	प्रति र.मी.	४४७.००	७१९.००	१०४३.००	१६३२.००	
१२	१६०	६"	प्रति र.मी.	५७४.००	८८६.००	१३२४.००	२११९.००	
१३	१८०	७"	प्रति र.मी.	७४९.००	११९५.००	१७०६.००	२६७५.००	
१४	२००	८"	प्रति र.मी.	९१४.००	१४१८.००	२१८६.००	४०८२.००	

Stehapa
सन्तोष ३/१९
अध्यक्ष
साथगढी गाउँपालिका
मन्डवा, पाल्पा

१३१.० यू.पी.भी सी पाइप फिटिङ्स

क.सं.	आइटम	इकाई	फिटिङ्सको दर रेट ०७८/०७९				कैफियत
			२"	३"	४"	६"	इन्च
			५०	७५	११०	१६०	मी.मी.
१	Coupler	प्रति गोटा	३६	८२	१४७	३६२	
२	Bend 87.5°	प्रति गोटा	४७	११५	२०८	५७३	
३	Bend 45°	प्रति गोटा	४६	९६	१७०	६००	
४	Single Tee	प्रति गोटा	७०	१५८	२९२	७४१	
५	Pipe Clip	प्रति गोटा	२२	३२	४०	१३०	
६	Bend 87.5° with door	प्रति गोटा		१४६	२८७	८२६	
७	Single Tee with door	प्रति गोटा		२०९	३८६	१०२४	
८	Double Tee	प्रति गोटा		३३६	५३५		
९	Double Tee with door	प्रति गोटा		५६०	७८१		
१०	vent cowl	प्रति गोटा		६२	१०४		
११	Socket plug	प्रति गोटा		८८	१४३		
१२	Single Y	प्रति गोटा		२२७	४३५		
१३	Single Y with door	प्रति गोटा		२३९	४५७		
१४	Double Y	प्रति गोटा		३४५	६३८		
१५	Double Y with door	प्रति गोटा		४६४	६७८		
१६	Cleaning Pipe	प्रति गोटा		१५३	२९६		
१७	Nahani Trap 110x75	प्रति गोटा			२९२		
१८	W.C. connector(bent type)	प्रति गोटा			२१७		
१९	Square tile with jali	प्रति गोटा			११३		
२०	Round jali	प्रति गोटा			३९		
२१	End cap 50 mm	प्रति गोटा	२५		०		

St. Chakra
१३/१६ थापा
अध्यक्ष
माथागढी गाउँपालिका
नेर्कुवा, पाल्पा

१३२ पाइप तथा फिटिङ्स

१३२.१ जी.आई.फिटिङ्स

क्र.सं.	आइटम	इकाई	फिटिङ्सको दर रेट ०७८/०७९										कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"	इन्च मी.मी.	
१	एल्बो	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००		
२	टी	प्रति गोटा	४७	७५	११९	१८५	२५४	३८६	-	५०२७	१८४१		
३	सकेट	प्रति गोटा	७५	११७	१५६	२५३	३०९	४८३	-	१२६८	२२६९		
४	युनियन	प्रति गोटा	४३	६७	८६	१३५	१८२	२८१	-	६३०	९९६		
५	कस	प्रति गोटा	१३०	१८२	२४२	३६१	४७८	६६५	-	१०६५	२४२१		
६	हेक्स निप्पल	प्रति गोटा	१११	१५०	२३९	३९९	५५०	८२३	-	-	-		
७	रि. एल्बो	प्रति गोटा	४९	७०	१०४	१६४	२०१	२९८	-	-	-		
८	रि. टी	प्रति गोटा	-	८१	१२६	२०१	२७०	४१८	-	-	-		
९	रि. सकेट	प्रति गोटा	-	१२६	१७०	२६०	३४२	५४३	-	-	-		
१०	सि.आई क्याप	प्रति गोटा	१८	३२	९१	१४१	१७६	२९४	-	-	-		
११	सि.आई टैंक निप्पल	प्रति गोटा	१२९	१९५	४१	६९	८४	१०५	१९६	२६६	४०५		
१२	चेक नट	प्रति गोटा	२८	४५	२७१	-	-	-	-	-	-		
१३	ब्रास युनियन (लोकल टाईप)	प्रति गोटा	१८०	३५८	४४८	६९	१२५	१६१	-	-	-		
१४	ब्रास युनियन (यूएनएफ टाईप)	प्रति गोटा	३५३	५३०	७९५	१०७३	१५७८	२२०६	४७५१	७२६	१११६५		
१५	गेट भलम	प्रति गोटा	७४	९९२	१५१५	२२७८	३०९८	४७८५	-	-	-		
१६	ग्लोब भलम	प्रति गोटा	६४५	१०९७	१५३०	३०९५	३९३०	५४७५	-	-	-		

सन्निधि कुमार थापा

अध्यक्ष

माथागढी गाउँपालिका

भडैवा, पाल्पा

१३२ पाइप तथा फिटिङ्स

१३२.१ जी.आई.फिटिङ्स

क.सं.	आइटम	इकाई	फिटिङ्सको दर रेट ०७८ / ०७९										कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२"	२.५"	३"	४"		
१७	जी.आई.+जी.आई फ्लेन्ज सेट	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००	इन्च मी.मी.	
१८	जी.आई.+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	-	-	-	-	१३३२	१५५९	२०६५	२४७०	३५९१		
१९	एच.डी.पी..+एच.डी.पी. फ्लेन्ज सेट	प्रति गोटा	-	-	-	-	१३३२	१५५९	२०६५	२४७०	३५९१		
२०	जी.आई वेन्ड	प्रति गोटा	५२०	६८३	८१३	१००२	१३१३	१८८०	-	-	-		
२१	फ्लो रेगुलेटिङ्ग भल्भ	प्रति गोटा	१२६	२०२	३०५	५९५	७२१	१३२५	-	-	-		
२२	रेगुलेटिङ्ग टि	प्रति गोटा	१००५	-	-	-	-	-	-	-	-		
२३	रेगुलेटिङ्ग कि	प्रति गोटा	३१०	-	-	-	-	-	-	-	-		
२४	फ्लोट भल्भ	प्रति गोटा	६६४	८६८	१५९०	२४४७	४१२१	५५०२	-	-	-		
२५	फ्लोट भल्भ (बी.पी.टी.टाइप)	प्रति गोटा	२९६१	३५२२	४६२२	९८१०	१३४५१	१६८७४	-	-	-		
२६	चेक भल्भ	प्रति गोटा	४२७	६५५	१४७५	२४७८	३७०१	५४९८	-	-	-		
२७	फेरुल कक	प्रति गोटा	७३०	१३०२	२२४७	३८३३	५१०३	५९६४	७३९२	-	-		
२८	ब्रास सेडल	प्रति गोटा	-	-	-	-	-	८९६	१४२१	१७३६	१७९०		
२९	स्लस भल्भ	प्रति गोटा	-	-	-	-	६३००	८४००	१०५००	१२६००	१६८००		
३०	सी.आई.एयर भल्भ	प्रति गोटा	३२४५	४१०६	४८०९	६४७६	९१०४	१११८३	-	-	-		

सन्तोष कुमार थापा
अध्यक्ष
माथागढी गाउँपालिका
महेन्द्र, पाल्पा

क.सं.	आइटम	इकाई	निष्पलको विवरण दर रेट ०७८/०७९											कैफियत
			१/२"	३/४"	१"	१.२५"	१.५"	२.५"	३.५"	४"	५"	६"		
१	२"लामो	प्रति गोटा	१५	२०	२५	३२	४०	५०	६५	८०	१००	१००	इन्च मी.मी.	
२	३"लामो	प्रति गोटा	२६	३६	५०	६४	८०	१०१	१४१	१६५	४३८			
३	४"लामो	प्रति गोटा	३९	५३	७५	९६	१२०	१५२	२११	२४८	३५८			
४	५"लामो	प्रति गोटा	५१	७१	१००	१२८	१६०	२०२	२८१	३३०	४७७			
५	६"लामो	प्रति गोटा	६४	८९	१२५	१६०	२००	२५३	३५२	४१३	५९६			
६	७"लामो	प्रति गोटा	७७	१०७	१५०	१९२	२४०	३०३	४२२	४९६	७५५			
७	८"लामो	प्रति गोटा	१०३	१४२	२००	२५६	३२०	४०५	५६२	६६१	९५३			
८	९"लामो	प्रति गोटा	११६	१६०	२२४	२८८	३६०	४५५	६३३	७४३	१०७३			
९	१०"लामो	प्रति गोटा	१२८	१७८	२४९	३२०	४००	५०६	७०३	८२६	११९२			
१०	१२"लामो	प्रति गोटा	१५४	२१३	२९९	३८४	४८०	६०७	८४३	९९१	१४३०			
१०	१८"लामो	प्रति गोटा	२३१	३२०	४४९	५७६	७२०	९१०	१२६५	१४८९	२१४५			
११	जि.आई. पाईपको चुरी काटने काम	प्रति चुरी	४०	४०	६०	८०	१००	१२०	२५०	३५०	५५०			

3194

सन्तोष कुमार थापा
अध्यक्ष
माथागढी गाउँपालिका
मण्डौली, पाल्पा

१३३ खानेपानी सम्बन्धी:

१३३.१ जि.आई. पाइप:

सन्तोष कुमार थापा
अध्यक्ष
माधगढी गाउँपालिका
महेन्द्र, पाल्पा

क्र.सं.	पाइप साइज/श्रेणी	इकाई	जिल्ला दररेट			कैफियत
			हलुङ्गो	मध्यम	गह्रौ	
१	जी.आई. पाइप १/२"	र. मी.	१५६	१८१	२१४	
२	जी.आई. पाइप ३/४"	र. मी.	२१२	२३१	२७०	
३	जी.आई. पाइप १"	र. मी.	२९५	३४५	४०५	
४	जी.आई. पाइप १ १/४"	र. मी.	३७९	४५१	५१७	
५	जी.आई. पाइप १ १/२"	र. मी.		५१७	५९७	
६	जी.आई. पाइप २"	र. मी.	५८९	७०६	८६९	
७	जी.आई. पाइप २ १/२"	र. मी.	८११	९०२	१०८९	
८	जी.आई. पाइप ३"	र. मी.	९५३	१११७	१२८१	
९	जी.आई. पाइप ४"	र. मी.	१३२६	१६५९	१९८७	
१३३.२	PE-१०० Grade HDPE पाइप:					२७०
क्र.सं.	पाइप साइज	इकाई	प्रेसर रेटिङ			
			PN6	PN10	PN12.5	PN16
१	एच.डि.पी.ई. पाइप २० मी.मी.	र. मी.				३२
२	एच.डि.पी.ई. पाइप २५ मी.मी.	र. मी.			४२	५१
३	एच.डि.पी.ई. पाइप ३२ मी.मी.	र. मी.		५७	६७	८३
४	एच.डि.पी.ई. पाइप ४० मी.मी.	र. मी.		८९	१०७	१३०
५	एच.डि.पी.ई. पाइप ५० मी.मी.	र. मी.	८७	१३७	१६६	२०१
६	एच.डि.पी.ई. पाइप ६३ मी.मी.	र. मी.	१३९	२१८	२६०	३१६
७	एच.डि.पी.ई. पाइप ७५ मी.मी.	र. मी.	२००	३१०	३७०	४५०
८	एच.डि.पी.ई. पाइप ९० मी.मी.	र. मी.	२८१	४५२	५३५	६५९
९	एच.डि.पी.ई. पाइप ११० मी.मी.	र. मी.	४२५	६६९	८१०	९८०
१०	एच.डि.पी.ई. पाइप १२५ मी.मी.	र. मी.	५५१	८६३	१०४१	१२६७
११	एच.डि.पी.ई. पाइप १४० मी.मी.	र. मी.	६९३	१०८२	१३१०	१५८९
१२	एच.डि.पी.ई. पाइप १६० मी.मी.	र. मी.	९०३	१४१६	१७०९	२०८०
१३	एच.डि.पी.ई. पाइप १८० मी.मी.	र. मी.	११४१	१७९६	२१६१	२६२६
१४	एच.डि.पी.ई. पाइप २०० मी.मी.	र. मी.	१४०७	२२२०	२६६७	३२४८

नेपाल गुणस्तरले
कायम गरेको
नयाँ मापदण्डको
आधारमा रु
२७० प्रति के जि
नै कायम गरि
तयार गरिएको

१. उपरोक्त दररेटहरूमा ढुवानी र VAT समावेश गरिएको छैन ।

२. माथि उल्लेख गरिएका बाहेकका विभिन्न व्यास र प्रेसर रेटिङका पाइपहरूको हकमा HDPE पदार्थको रु. २७०/- प्रति के.जी. Ex-Factory दर मा ढुवानी जोडी पाइपको न्यूनतम Wall Thickness का आधारमा प्रति मिटरको दररेट निकाल्नु पर्नेछ ।

सन्तोष कुमार थापा
अध्यक्ष
माधगढी गाउँपालिका
महेन्द्र, पाल्पा

१३४ फिटिङ्सको दर रेट ०७८ / ०७९

S.N	Description Of Items	MRP Per Pcs (EX. VAT)	MRP (Ex. VAT)	Units
1	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230 x110x70, Tolerance/others:Machine Made Precast Concrete Bricks)	17	9994	Cum
2	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension: 230x110x 70, Tolerance/others:Machine Made Precast Concrete Bricks)	19	1108	Cum
2	Bricks Grey Color with compressive strength M 10 or above. (Specification: Thickness: 55mm, Dimension: 230x110x55, Tolerance/others:Machine Made Precast Concrete Bricks)	15	11397	Cum
3	Bricks Single Color with compressive strength M 10 or above. (Specification: Thickness: 55mm, Dimension: 230x110x 55, Tolerance/others:Machine Made Precast Concrete Bricks)	16	12120	Cum
3	Hallocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390x200x55, Tolerance/others:Machine Made Precast Concrete Bricks)	118	1602	SQM
4	Hallocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension: 390x200x55, Tolerance/others:Machine Made Precast Concrete Bricks)	143	1939	SQM
4	Hallocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390x150x190, Tolerance/others:Machine Made Precast Concrete Bricks)	93	1265	SQM
5	Hallocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension: 390x150x190, Tolerance/others:Machine Made Precast Concrete Bricks)	112	1518	SQM
5	Hallocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390x100x190, Tolerance/others:Machine Made Precast Concrete Bricks)	81	1096	SQM
6	Hallocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension: 390x100x190, Tolerance/others:Machine Made Precast Concrete Bricks)	93	1265	SQM
6	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226 x200 x50 (NS Standard)	30	918	SQM
7	Hexagon Interlock Pavers Single Color with compressive strength M35 or Thickness: 50mm, Dimension: 226x200x50 (NS Standard)	37	1113	SQM
8	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension: 226* 200* 50 (NS Standard)	40	1113	SQM
9	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226 x200 x60 (NS Stan	36	1076	SQM
10	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226* 200* 60 (NS Standard)	42	1271	SQM
11	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226* 200* 60 (NS Standard)	45	1354	SQM
12	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226 x200 x70 (NS Stan	44	1317	SQM
13	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226 x200 x70 (NS Stan	50	1512	SQM
14	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226 x200 x70 (NS Stan	53	1596	SQM
15	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226 x200 x80 (NS Stan	53	1596	SQM
16	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226 x200 x80 (NS Stan	60	1791	SQM
17	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226 x200 x80 (NS Stan	63	1874	SQM
18	Rectangulae Interlock Pavers Grey Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x100 x60 (NS Standard)	30	1516	SQM
19	Rectangulae Interlock Pavers single Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x100 x60 (NS Standard)	36	1845	SQM
20	Rectangulae Interlock Pavers Blended Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 200x100 x60 (NS Standard)	39	1985	SQM

१३४ फिटिंग्सको दर रेट ०७८ / ०७९

St. 2/24
माथगढी गाउँपालिका
सुदूरपश्चिम प्रदेश

S.N	Description Of Items	MRP Per Pes (EX. VAT)	MRP (EX. VAT)	Units
11	Rectangulae Interlock Pavers Grey Colour with compressive strength M50 or above. Thickness: 100mm, Dimension: 200*100 x100 (NS Standard)	66	3340	SQM
	Rectangulae Interlock Pavers single Colour with compressive strength M50 or above. Thickness: 100mm, Dimension: 200x100 x100 (NS Standard)	73	3688	SQM
	Rectangulae Interlock Pavers Blended Colour with compressive strength M50 or above. Thickness: 100mm, Dimension: 200x100 x100 (NS Standard)	76	3827	SQM
12	Behaton Interlock Pavers Grey Colour with compressive strength M35 or above. Thickness: 50mm, Dimension: 200x165 x50 (NS Standard)	35	1288	SQM
	Behaton Interlock Pavers single Colour with compressive strength M35 or above. Thickness: 50mm, Dimension: 200x165 x50 (NS Standard)	41	1529	SQM
	Behaton Interlock Pavers blended Colour with compressive strength M35 or above. Thickness: 50mm, Dimension: 200x165 x50 (NS Standard)	44	1633	SQM
13	Behaton Interlock Pavers Grey Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 200x165 x80 (NS Standard)	51	1886	SQM
	Behaton Interlock Pavers single Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 200x165 x80 (NS Standard)	57	2128	SQM
	Behaton Interlock Pavers Blended Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 200x165 x80 (NS Standard)	60	2220	SQM
14	Uni Interlock Pavers Grey Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 240x165 x60 (NS Standard)	36	1255	SQM
	Uni Interlock Pavers Single Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 240x165 x60 (NS Standard)	42	1483	SQM
	Uni Interlock Pavers Blended Colour with compressive strength M35 or above. Thickness: 60mm, Dimension: 240x165 x60 (NS Standard)	45	1580	SQM
15	Zigzag Interlock Pavers Grey Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 225x112.5 x80 (NS Standard)	50	2012	SQM
	Zigzag Interlock Pavers single Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 225x112.5 x80 (NS Standard)	57	2283	SQM
	Zigzag Interlock Pavers blende Colour with compressive strength M40 or above. Thickness: 80mm, Dimension: 225x112.5 x80 (NS Standard)	60	2394	SQM
16	Zigzag Interlock Pavers Grey Colour with compressive strength M50 or above. Thickness: 100mm, Dimension: 225x112.5 x100 (NS Standard)	81	3212	SQM
	Zigzag Interlock Pavers single Colour with compressive strength M50 or above. Thickness: 100mm, Dimension: 225x112.5 x100 (NS Standard)	89	3546	SQM
	Zigzag Interlock Pavers blende Colour with compressive strength M50 or above. Thickness: 80mm, Dimension: 225x112.5 x100 (NS Standard)	93	3680	SQM
17	Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	46	1365	SQM
	Rooiba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	53	1567	SQM
	Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173 *60 (NS Standard)	55	1641	SQM
18	Square Interlock Pavers Grey Color with compressive strength M35 or Thickness: 60mm, Dimension:200*200*60 (iS Standard)	59	1476	SQM
	Square Interlock Pavers SingiC COIOR with compressive strength M35 or above. Thickness: 60mm, Dimension:200x200x 60 (HS Standard)	65	1640	SQM
	Square Interlock PitYers Blended Color with compressive strength M35 or above. Thickness : 60mm, Dimension:200* 200* 60 (NS Standard)	68	1718	SQM
19	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100* 100*60 (NS Standard)	13	1375	SQM
	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	16	1625	SQM
	Cobble Interlock Paven Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 100* 100*60 (NS Standard)	18	1875	SQM

St. 2/24
माथगढी गाउँपालिका
सुदूरपश्चिम प्रदेश

१३४ फिटिङ्सको दर रेट ०७८ / ०७९

S.N	Description Of Items	MRP Per Pcs (EX. VAT)	MRP (EX. VAT)	Units
20	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	55	1483	SQM
	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (HS Standard)	61	1649	SQM
	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	64	1724	SQM
21	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	59	1476	SQM
	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	65	1640	SQM
	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	68	1710	SQM
22	Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	183.75	183	SQM
	Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	203.75	203	SQM
	Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		227	SQM
23	Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		1102	SQM
	Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		1221	SQM
	Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/other: ±1 mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)		1378	SQM
24	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)		2500	SQM
	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (HS Standard)		2750	SQM
	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (HS Standard)		3000	SQM
25	Glass laterlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	402	1676	SQM
26	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension:300x200x350 (M)	300	999	RM
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300x200x350 (LxBxH) (NS Standard)	312	1038	RM
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300x200x350 (LxBxH) (HS Standard)	336	1118	RM
27	Half batterd Kerbstone Grey Color with compressive strength M15. Thickness: 165mm, Dimension:300x165x325 (LxBxH) (NS Standard)	252	839	RM
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 165mm, Dimension:300x165x325 (LxBxH) (NS Standard)	276	919	RM
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 165mm, Dimension:300x165x325 (LxBxH) (NS Standard)	300	999	RM

Mathagadhi Rate (Materials) Palpa 2078/079

१३४ फिटिङ्सको दर रेट ०७८ / ०७९

माथगढी गाउँपालिका

१३४ फिटिङ्सको दर रेट ०७८ / ०७९

S.N	Description Of Items	MRP Per Pcs (EX. VAT)	MRP (Ex. VAT)	Units
28	Half batterd KerbStone Grey Color with compressive strength MIS. TbCknCSS/ 200mm, Dimension: 250*200*380 (LxBxH)	300	1200	RM
	Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxI-1) (NS Standard)	312	1248	RM
	Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	336	1344	RM
29	Bullnose Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 300*200*350 (LxBxH)	342	1138	RM
	Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (NS Standard)	372	1238	RM
	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 300*200*350 (LxBxH) (this Standard)	390	1298	RM
30	V Shape Drain MOU & female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	388	1294	RM

ACC BLOKS

S.N	Description of Goods	Quantity	Rate Per CBM	Rate per pcs
			Rates	Exclusive 13% VAT
1.0	600X200X200 (0.024 CBM/block)	1 CBM	11060	265
2.0	600X200X150 (0.018 CBM/block)	1 CBM	11060	199
3.0	600X200X100 (0.018 CBM/block)	1 CBM	11060	132

 3/1/99
 सहायक माउपालिका
 भडेवा, पाल्पा

Mathagdhi Rural municipality
Office of the Rural Municipal Executive
 Jhadewa ,palpa

EXCAVATION COST BY USING MACHINE

PALPA
2077-78

TOTAL PER HOUR COST FOR EXCAVATION

Per Hour Cost RS

Item	Cost (NRs)
Machine Hire	1800.00
Transportation of Machine	361.03
Fuel	2002.44
Lubricants	140.17
Machine staff wage	295.63
Unskilled labour during excavation(5MD/Day)	428.57
Total	5027.84

1 Cost Per Hour :

Rock Breaker cost:

Rs 5027.84

Rs 1250 per hour

1 OS

Say 89 cum/HRS is capacity for PC 200 Excavator

56.49

2 BMS

Say 60 cum/HRS is capacity for PC 200 Excavator

83.80

3 SR

Say 30 cum/HRS is capacity for PC 200 Excavator

167.59

4 MR

Say 17 cum/HRS is capacity for PC 200 Excavator

(additional cost for breaker)

369.28

5 HR

Asumption

for Hard Rock with using breaker
cum/HRS is capacity for PC 200 Excavator

(additional cost for breaker)

Say 5

1255.57

6 Tree Removing like Pipal, Dumri etc
more than 5 m girth (1.5 no per hour)

3351.8946

7 Bamboo Removing
more than 10 m perimeter (3 no per hr)

1675.95

8 Landslide Removal


Say 100 cum/HRS is capacity for PC 200 Excavator

50.28

Prepared by

Checked by

Approved by


 3/1/99
 सहायक माउपालिका
 भडेवा, पाल्पा

Machine Work

375 288
असम्भवं, ननु
असम्भवं, ननु

Exhib
7194
अपेक्षित

[illegible]

- [illegible]

Exhib
7194
अपेक्षित

Exhib
7194
अपेक्षित

Exhib
7194
अपेक्षित

[illegible]

[illegible]

Exhib
7194
अपेक्षित

[illegible][illegible][illegible][illegible]

Exhib
7194
अपेक्षित

[illegible][illegible][illegible]

Exhib
7194
अपेक्षित

[illegible]

Exhib
7194
अपेक्षित

375 288
असम्भवं, ननु
असम्भवं, ननु

[illegible]

375 288
असम्भवं, ननु
असम्भवं, ननु

Exhib
7194
अपेक्षित

[illegible][illegible][illegible]

[illegible]

[illegible][illegible]

375 2587
असम्भवं, नाना
असम्भवं, नाना

[illegible]

INR.

0.84 = 12.5687 ≈ 12.60

For PC100LC-7 KOMATSU hydraulic excavator:

$$\text{LMPH} = \frac{0.17 \times 80 \times 0.54}{0.84} = 8.74 \approx 8.74 \text{ lit/hr.}$$

(i) For PC200-7

$$\text{Costs of fuel} = 16.4 \times 102.3 = \text{Costs of lubricants (from above formula)} = 0.225 \times 238.21 = \text{NRs. } 53.597$$

From thumb rule, costs of lubricants = 5 to 10% of 1677.72

(ii) For PC160LC-7

$$\begin{aligned} \text{Costs of fuel} &= 12.60 \times 102.3 = \\ \text{Costs of lubricants (from above formula)} &= 0.1725 \times 238.21 = \text{NRs. } 41.09/\text{hr.} \\ \text{Using thumb rule, costs of lubricants} &= 5 \text{ to } 10\% \text{ of } 819 \end{aligned}$$

he thumb rule can be considered as: the cost of lubricants is approximately taken as 5.6% of the costs of fuel

(ii) For PC100LC-7

$$\begin{aligned} \text{Costs of fuel} &= 8.74 \times 65.0 = \\ \text{Costs of lubricants (from above formula)} &= 0.1725 \times 238.21 = \text{NRs. } 41.09/\text{hr.} \\ \text{Using thumb rule, costs of lubricants} &= 5 \text{ to } 10\% \text{ of } 819 \end{aligned}$$

c) Labour Costs(Machine staff)

For the machines up to 10 ton, one operator and one helper will be sufficient. For machines from 10t to 20t or more, one operator, one helper and one team leader paid equal to helper is considered.

- For machines up to 10t, the labour costs per hour (with 8 hrs daily wage) = $(1 \times 520 + 1 \times 330)/8 = 211.875$
- For machines from 10t to 20t = $(1 \times 520 + 2 \times 330)/8 = 295.625$
- For machines more than 20t = $(1 \times 520 + 2 \times 330)/8 = 295.625$

Examples:

1. Considering KOMATSU Hydraulic Excavator of the following specifications:

Model	Year	Flywheel HP	Operating weight	Bucket capacity
PC200-7	2007	107KW@1950rpm (143HP)	19400-20010kg (42,770-44,110 lb)	0.48-1.53 m ³ (0.63-2.0 yd ³)

i) Loading, Transportation and Unloading:

संकेतित करार थापा
साथमाती गाउँपालिका
सुदूरपश्चिम प्रदेश, नेपाल

2199

The Tractor Trailer is in place. Machine will be loaded on it with LS approx. NRs. 2000. Using the tractor trailer with 10+ to 20 ton capacity, its hire rate per hour is NRs. 2190 or per shift rate is NRs. 15530, one shift equals to 10 hours (Equipment hire rate effective from 2058-04-01, DOR website: www.dor.gov.np). Consumables (Diesel, Mobile, Grease, etc.) for the trailer are assumed at 50% of its hire charge.

Distance from Kathmandu to Manthali is $78 + 72 = 150$ km black top with 15 km/hr and 39 km graveled with 7.5 km/hr speed, totaling $10 + 5.2 = 15.2$ approx. 15 hours driving. The machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

Machine hire rate for 143HP capacity is NRs. 2348.33 i.e. approx. NRs. 2350 per hour using interpolation method for two capacities: 120HP with 1850 and 150HP with 2500. Idle rate for

शुभा
२१९९
अध्यक्ष
महागढी गाउँपालिका
भुटुवा, पाल्पा

ii) Operators and helpers expenses:

One driver and one helper will be used on the trailer. For the machine one more staff called the team leader will be required. The daily rate for the operator/driver is NRs. 255 and other staff is NRs. 190 as per current district rate. Total days required for one way transportation is two.

iii) Total cost incurred for the machine to be at the site and go back:

Loading + Transportation with staff + unloading + travel up to site
62191.25
= 2000 + 53681.25 + 2000 + 2160 + 2350 =
NRs. 62191.35.
For 2 way = NRs. 124382.50

Assuming there will be work for at least three months for a machine, working six days a week and ten hours a day, total working hours = $10 \times 6 \times 3 \times 30 / 7 = 771.42$ say 772 hours.

The converted transportation rate =
 $124382.50 / 772 = \text{NRs. } 161.12$ per working hour.

iv) Operational costs:

It will include all types of consumables (diesel, mobile, grease, petrol, etc.). The current market rate in Kathmandu for diesel, mobile, grease and the petrol are NRs. 56.50/lit, 236.11/lit, respectively for the diesel, mobile, grease and petrol. The rate at each site, therefore, will be NRs. 58.60, 238.21, 302.10 and 82.10. Hourly operational rate = $16.3935 \times 58.60 + 0.2245 \times 238.21 + 0.1902 \times 302.10 = \text{NRs. } 1071.60$

v) Labour costs:

The basic district rate will be divided by the standard working hours to arrive at the hourly labour rate. The machine will require operator, helper and team leader one/one each. Therefore, hourly labour rate = $(1 \times 255 + 1 \times 190 + 1 \times 190) / 8 = \text{NRs./hr } 295.625$

The machine rate is equal to the fixed costs plus the operational costs and the labour costs per hour = $(2350 + 161.12) + (1071.60) + (79.38) = \text{NRs. } 3662.09$ say NRs. 3662 per hour.

2. Considering KOMATSU Hydraulic Excavator of the following specifications:

Model	Year	Flywheel HP	Operating weight	Bucket capacity
PC160LC-7	2007	82.4KW@1950rpm (110HP)	16400-16840kg (36,160-37,130 lb)	0.37-0.95 m ³ (0.48-1.24 yd ³)

महागढी गाउँपालिका
भुटुवा, पाल्पा

Total costs for the machine is the sum of fixed costs, operational costs, and the labour costs. The fixed costs include rental rate per hour and the transportation costs per working hour.

Fixed costs:

Machine hire rate per hour = NRs. 1820.00 for track excavator up to 110 HP. The tractor trailer rate is NRs. 2190 per hour for 10+ to 20 ton capacity category. The total transportation costs = 60667.50 for one way. For two ways, it is NRs. 121335.00.

Per working hour rate = $121335/772 = \text{NRs. } 157.17$

Total fixed costs = $1820+157.17 = \text{NRs. } 1977.17$

Operational costs:

Hourly operational rate = NRs. 824.31

Labour costs:

The machine will require operator, helper and team leader one/one each. Therefore, hourly labour rate = $(1*255+1*190+1*190)/8 = \text{NRs. } 79.38$

The machine rate is equal to the fixed costs plus the operational costs plus the labour costs per hour = $(1977.17) + (824.31) + (79.38) = \text{NRs. } 2880.86$ say NRs. 2880 per hour.

B. The Production Side

With regard to soil conditions, machine excavation is not subject to the same variation in output as hand work, providing the correct type of plant can be procured. The output multipliers in

Table: Multipliers for difficulty of machine excavation due to nature of ground

Soil type	Multiplier (X output per hour/m ³)
Vegetable soil, sand, ordinary soil	1.00
Heavy clay	1.33
Soft rock	2.00
Hard rock	5.00*

* Low output due to general inability of machines to do the breaking up which requires pneumatic drills or explosives.

In the hilly terrain like Ramechhap, most of the track opening encounters with hard soil, soft or ordinary rock and medium rock. On an average, for the purpose of machine output calculation, the percentages of different soils in a typical cross-section have been assumed as: soft soil 30, hard soil 55, soft rock 10, medium rock 3.5, and hard rock 1.5. The output of a machine will be very low in case of medium rock and hard rock. Allowing these two types of soil for manual excavation, the average output of a machine compared to loose earth excavation according to the above guidance and soil composition will be: $(1/1)*0.3+(1/1.33)*0.55+(1/2)*0.1$ or 0.76. This factor will be used to cater for the difficulty of the machine in excavating above said types of soil in comparison to loose earth excavation. The factor, on the other way, may be treated as a swell factor.

Examples:

1. Considering KOMATSU Hydraulic Excavator (PC200-7) of the following specifications:

Model	Year	Flywheel HP	Operating weight	Bucket capacity
		107KW@1950rpm (143HP)	19400-20010kg (42,770-44,110 lb)	0.48-1.53 m ³ (0.63-2.0 yd ³)

सुभाष कुमार थापा
अध्यक्ष
साधारणी माउपालिका
फडेवा, पाल्पा

सुभाष कुमार थापा
अध्यक्ष
साधारणी माउपालिका
फडेवा, पाल्पा

सुभाष कुमार थापा
अध्यक्ष
साधारणी माउपालिका
फडेवा, पाल्पा

PC200-7

2007

Capacity of bucket = 0.8 cu.m.

Cycle time for one bucket excavation = 16 sec

Bucket fill factor = 0.80

Overall efficiency = 83 %

Taking effective working per hour = 45 min, production per hour (loose earth)

= $(45 \times 60 \times 0.8 \times 0.80 \times 0.83) / 16 = 89.640$ cu.m.

Considering a swell factor of 0.76 for all types of soil (including soft soil, hard soil, marshy soil and soft / ordinary rock but excluding medium rock and hard rock), quantity of land excavation per hour = $0.76 \times 89.640 = 68.1264$ say 68 cu.m.

Cost of excavation per 1 cu.m. = 3662.09/68 = NRs. 53.85

2. Considering KOMATSU Hydraulic Excavator (PC160LC-7) of the following specifications:

Model	Year	Flywheel HP	Operating weight	Bucket capacity
PC160LC-7	2007	82.4KW@1950rpm (110HP)	16400-16840kg (36,160-37,130 lb)	0.37-0.95 m ³ (0.48-1.24 yd ³)

Capacity of bucket = 0.57 cu.m.

Cycle time for one bucket excavation = 16 sec

Bucket fill factor = 0.80

Overall efficiency = 83 %

Taking effective working per hour = 45 min, production per hour (loose earth)

= $(45 \times 60 \times 0.57 \times 0.80 \times 0.83) / 16 = 63.868$ cu.m.

Considering a swell factor of 0.76 for all types of soil (including soft soil, hard soil, marshy soil and soft / ordinary rock but excluding medium rock and hard rock), quantity of land excavation per hour = $0.76 \times 63.868 = 48.54$ cu.m.

Cost of excavation per 1 cu.m. = 2880.86/48.54 = NRs. 59.35

Summary of cost per hour

Machine Type	Transportation Cost per Hr	Fixed cost per Hr (Excavator + fuel)	Labour cost per Hr	Total Cost Per Hr say
200PC	361.03	3942.61	295.63	4599.27
150PC	198.92	2846.15	295.63	3340.69
100PC	154.00	2341.85	211.88	2707.73

TOTAL PER HOUR COST FOR EXCAVATION

Item	Cost (NRs)
Machine Hire	1800.00
Transportation of Machine	361.03
Fuel	2002.44
Lubricants	140.17
Machine staff wage	295.63
Unskilled labour during excavation (5MD/Day)	428.57
Total	5027.84

28/09/20
सन्तोष कुमार थापा
अध्यक्ष
सन्तोष कुमार थापा
अध्यक्ष
सन्तोष कुमार थापा
अध्यक्ष

28/09/20
सन्तोष कुमार थापा
अध्यक्ष
सन्तोष कुमार थापा
अध्यक्ष