

www.ehimalayatimes.com 🚹 @ehimalayatimes 💟 @himalaya\_times



### माथागढी गाउँपालिका गाउँ कार्यपालिकाको कार्यालय भाडेवा, पाल्पा लम्बिनी प्रदेश, नेपाल ।

#### क्याटलग/ब्रोसर सपिङ विधिबाट सवारी साधन खरिद सम्बन्धी सिलबन्दी प्रस्ताब आव्हानको सचना

(प्रथम पटक प्रकाशन मिति : २०८१/०१/१५)

यस कार्यालयको लागी देहाय बमोजिमको सवारी साधन सार्वजनिक खरिद ऐन २०६३ पहिलो संशोधन २०७३ को दफा 🛱 को उपदफा १ क(६) तथा सार्वजनिक खरिद नियमावली २०६४ (चौथो संशोधन) को नियम ३१ (ख) बमोजिम त्यस्ता सवारी साधन उत्पादक कम्पनी वा सो को आधिकारिक विकेताहरू बीच प्रतिस्पर्धा गराउने (क्याटलोग सपिड्र) विधिवाट खरिद गर्नपर्ने भएकोले सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ (ख)को उपनियम २ अनुसार देहाय बमोजिम सवारी साधनको उत्पादक वा आधिकारिक विकेताहरूबाट उक्त मेशिन बिकिगर्न नेपाल सरकारको सम्बन्धित निकायबाट प्राप्तभएको अनुमति पत्र, सो को निवकरण, स्थायी लेखानम्बर(PAN) तथा मुल्य अभिबंदि कर दुर्ता प्रमाण पत्र, आ.ब. २०७९/०८० सम्मको कर चक्ता गरेको प्रमाणपत्र, उक्त मेशिन सप्लाई गरेको हाल सम्मको बिस्तृत बिबरण, सम्बन्धित कार्य अनुभवको प्रमाणपत्रहरुको प्रतिलिपी, उत्पादनको आधिकारिक प्राविधिक स्पेशिफिकेशन, मुल्य, गुणस्तर तथा सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यो सूचना प्रकाशित भएको मितिले ७औं दिन १२ बजेसम्म यस कार्यालयमा छटाछटै निवेदन दर्ता गराउन आव्हान गरिएको छ । दर्ता गरिएका सिलबन्दी प्रस्ताबहरू सोहि दिनको १४:०० बजे खोलिने छ । पेश गर्ने अन्तिम दिन सार्वजनिक बिदा परेमा बिदा पछिको कार्यालय खुलेको दिन पेश गर्न सिकने छ ।

ऋ.सं.	खरिद गर्नु पर्ने साधन	सक्षिप्त विवरण (हुनुपर्ने विशेषता)	संख्या	कैफियत
1.	Backhoe Loader	HP not less than 85HP with minimum 382NM Torque     Operating weight not less than 7800 kg	1 (One)	संक्षिप्त विवरणमा उल्लेख नभएका क्राहरु Technical
		3. Minimum working height: ≥ 5700 mm 4. Minimum digging depth: ≥4600 mm	76.00	Specification वमोजिम हुनेछ

नोट : यस सम्बन्धी विस्तृत जानकारी गाउँपालिकाको वेबसाईट www.mathagadhimun.gov.np मा उपलब्ध गराईएको छ ।

प्रमख प्रशासकिय अधिकत



## पूर्वाधार विकास कार्याल

उदयपुर कोशी प्रदेश. नेपाल

# बोलपत्र स्वीकृत गर्ने आशयको

प्रकाशित मिति : २०८१/०१/१५

यस कार्यालयबाट मिति २०८०/१२/११ गते www.bolpatra.gov.np/egpll र अनुसार तपिसल बमोजिमका ठेक्का निर्माण कार्यका लागि E-bidding मार्फत पे मध्ये निम्न उल्लेखित शिलबन्दी दरभाउपत्र/बोलपत्रहरु न्युनतम मुल्यांकित सारभुत ठहरिएकोले सार्वजनिक खरिद ऐन २०६३ को दफा २७ को उपदफा (१) वमोजिम छ (२) तथा ४७ को उपदफा (१) को प्रयोजनार्थ सम्बन्धित सबैको जानकारीको लागि तपसिल:

ऋ. स.	ठेक्का नं.	आयोजनाको नाम/कामको विवरण	<mark>छनौट गरिएक</mark> रूपमा M/S Ek Lte Lar	
1	IDO/UDA/SQ/W/ RR/67/080-081	Upgrading of Jalpa Kadel Baksela Road, KepilasgadhiGa.Pa., Khotang (Chainage 0+000-0+200)		
2	IDO/UDA/NCB/ W/R/71/080-081  Construction of Bhokteni-Thade Batase-Ward Office Road, Ka.Na.Pa. 9, Udayapur (Chainage 0+000-05+100)  Upgrading of Pokhari Kalimati Dadagau Nikas Road, Rautamai-5, Udayapur		M/S S Tri	
3			M/S S Tri	
4	IDO/UDA/NCB/ W/RR/31/080-081	Upgrading of Gogane Bolungkha Jyamire karkuse Road, Rautamai-06, Udayapur	M/S Triy Mo	

# Technical specifications of Backhoe loader

S.N	CRITERIA	DEPARTMENTAL REQUIREMENT	Offered
			specifications
1.	General	All wheel /four wheel drive, rigid frame back hoe loader with	
		Steel cab, suitable for operation under rough working conditions,	
		and adverse climate condition at operating altitude Ranging from	
		50m to 2500 m and ambient temperature varying between -10°C to 50°C.	
2.	Capacity	1. Operating weight not less than 7800 kg	
	Cupacity	2. Loader: General purpose bucket with (6 in1) bolt	
		on teeth of SAE rated capacity nominally heaped	
		approx. 1 cu.m with Loader break out force not	
		less than 5250 kgf.	
		• Dump Height: ≥ 2730 mm	
		• Pin height: ≥ 3400 mm	
		3. Back hoe bucket with bolt on teeth of SAE rated	
		capacity not less than 0.26cu.m with tear out	
	1	force/Dig force not less than 5600 kgf and	
	1	following working ranges:	
	1	<ul> <li>Minimum working height: ≥ 5700 mm</li> </ul>	
	1	<ul> <li>Minimum digging depth: ≥4600 mm</li> </ul>	12
	1		
2	Engine	Water Cooled diesel Engine, developing SAE rated Gross HP not	
3.	Engine	less than 85HP with minimum 382NM Torque, (engine fully	
		equipped with accessories) at governed RPM for efficient full	
		load operation.	
		Back hoe shall be equipped with heavy duty radiator, cold	
		starting device, direct electric starting system, heavy duty battery,	
		heavy duty air cleaner, heavy duty fuel filter, with water trap and	
		drainage in fuel line and drain tap in fuel tank.	
4.	Gauges	To include ammeter, water temperature, fuel, oil pressure, transmission and hydraulic gauges as necessary for efficient	
		operation and maintenance.	
5	Transmission	Torque converter with four speed power shift type of	
,	Transmission	synchroshuttle transmission or equivalent.	
6	Axles	Four wheel drive with fixed rear axle and at oscillating front	
		axles.	
7.	Tires	Suitable four tires with tubes for operating machine in rough road conditions shall be provided.	
8.	Steering	Power assisted Hydrostatic steering or equivalent	
0.	Steering		
9.	Brakes	Hydraulically actuated, wet multiple disc/caliper disc type service	
		brake and separate parking brake or equivalent	
10.	Cab	All steel enclosed cab with laminated glass windscreen	
		insulated roof, suitably located controls for back hoe and	
	1	loader operation, rear view mirror, cabin light, wiper and	
		adjustable cushioned seat for operator shall be provided.	
11.	Hydraulics	Suitable hydraulic pumps flow not less than 118 lpm@2200rpm and	-
	The state of the s	system pressure not less than 226 bar for smooth operation of all	. /5
		attachments smoothly.	2 /2/
		attachinents shooting.	12 12

12.	Essential Accessories	1. Road lights, work lights and fog lights 2. Cabin Lights 3. Service hour meter 4. Fan for operator 5. A heavy duty grease Gun  Equipped with all accessories offered with standard model but not limited to the above items.	
13.	Instructions	All signs and instructions in the equipment shall be in English	
14.	Manuals	<ol> <li>One copy of the Operator's and Owner's Instructions and Maintenance manual in English shall be supplied with the each equipment.</li> <li>Two copies of following manuals in English shall be supplied with each equipment:         <ol> <li>Spare parts catalogue</li> <li>Comprehensive workshop manual.</li> </ol> </li> </ol>	
15.	Tools	A set of tools as required for general maintenance shall be supplied with in a lockable tool box for each unit	
16.	Color	Standard colour	
17.	Warranty	Manufacturer shall provide a minimum of one year warranty after acceptance.	
18	Proven performance	1. The machine offered shall be current model (make - 2024), under standard production by the manufacturer.  2. The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption. Performance curve of the engine etc.	
19	Delivery	1 unit back hoe loader shall be delivered to Mathagadi Rural municipality,Jhadewa,Palpa,Nepal	

Note:- The major items are indicated by bold and highlighted letters/alphabet/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.

Er Prem Prasad Sapkota. NEC Regd No:- 2854 Mechanical Engineer Category:- A Date: - 2081/01/1